

LAMINATE

COLLECTION 2018 - 2019







Discover your laminate floor

- 04 Carefree living, timeless beauty
- **06** Resisting everything, even water!
- 08 Create your own living space
- 10 Let us guide you to the perfect floor

Collection overview

- 12 Range overview planks and tiles
- 14 Types of structure, treatment, finishing and bevel
- 16 Discover the full laminate collection

Installation

- 30 Install your floor without hassle
- 31 A Quick·Step® underlay for every situation

Finishing

32 Finish perfectly

Cleaning

37 Keep your floor in top condition

Carefree living, timeless beauty



Years of carefree living

Quick-Step laminate floors are designed to last a lifetime. They easily stand up to the challenges of high heels, races with toy trucks and even falling objects. Thanks to their Scratch Guard top layer, all of our floors are up to ten times more resistant to scratches.

A Quick-Step floor is very easy to maintain. Down to the joints, the floor's surface is completely sealed: bacteria, dirt and even spills are unable to penetrate the floor, which means easy and worry-free cleaning. Not sure what products to use to maintain your floor in the best possible way? Discover our entire range on page 37.







Say goodbye to moisture problems

The Majestic, Impressive (Ultra), Eligna and Classic collections have an innovative, water-repellent HydroSeal coating that covers every groove, preventing water from penetrating the floor. Cleaning has never been so easy and safe.

Natural beauty in every detail

From finding the perfect plank structure to carefully balancing colour and bevel: creating unique and attractive floors is our mission. Thanks to their true-to-life features, our wood and stone designs look exactly like the real deal.







Easy installation in 1-2-3

When you've found your dream floor, you want it installed as quickly and easy as possible. The Quick-Step Uniclic® and Uniclic® Multifit click systems ensure a worry-free installation, even in tight corners and under radiators. On top of that, all Quick-Step laminate floors can be installed over traditional underfloor heating.



How to install your laminate floor

Installing a laminate floor is very easy. Don't believe it? Let us help you with out our installation videos at bit.ly/ytquickstep







Resisting everything, even water!

Meet the latest generation of laminate floors. Floors that don't just look exceptionally stylish and natural, but can also take a knock or two and above all are 100% waterproof.



Spilled a drink? Did the kids play with water? Don't panic, the liquid won't be absorbed by the floor and you can mop it up immediately. Five of our laminate collections – Majestic, Impressive (Ultra), Eligna and Classic – have a water-repellent HydroSeal coating. The floor's surface is completely sealed, so bacteria, dirt and even spillages don't stand a chance. They can simply be wiped off with a damp cloth, leaving a clean, hygienic surface. These waterproof floors make cleaning easier than ever!

On top of that, your new Quick-Step laminate floor also has a warranty of up to 25 years, guaranteeing many years of worry-free pleasure in your home.





COMPETITOR



QUICK+STEP®



Discover our full collection of waterproof ranges on page 17-22





Create your own living space



More inspiration on www.quick-step.co.uk

A beautiful interior starts with a good foundation. The floor could be considered as the fifth wall and therefore it should not be overlooked. Whatever your style, whatever your room, Quick-Step has the right floor: from light, clean floors to warm brown classics and even reclaimed floors with knots and cracks. We will help you to find your perfect floor!















Choosing a new floor can raise a lot of questions: which colour should I go for? Which floor matches my style and my interior? Check out our FloorExplorer and RoomViewer online – we will help you make up your mind.



FLOOR EXPLORER

3 EASY STEPS TO FIND YOUR PERFECT FLOOR

With so many flooring options to choose from, making the right decision can be a challenge. That's why we have introduced the online FloorExplorer tool: in three simple steps, you will get a selection of floors that perfectly match your personal needs and style.

B

Why not give it a try?
Enter the FloorExplorer at
www.quick-step.co.uk

SELECT A ROOM

2 CHOOSE A COLOUR

3 DEFINE YOUR STYLE



ROOM VIEWER

GET A PREVIEW OF YOUR FAVOURITE FLOORS

Wouldn't it be great if you could try out several floors first before making a final decision? Or even preview them in your own interior? With the online RoomViewer tool, you can do just that. Get lifelike previews and make sure that your final decision is the right one.



Try it out now!
Launch the RoomViewer at
www.quick-step.co.uk



DISCOVER YOUR PERFECT FLOOR ON WWW.QUICK-STEP.CO.UK

Range overview planks and tiles

Range ever view	waterproof dimensions	thickness bevels
MAJESTIC	205 x 24 cm	≑9,5 mm ⁴
IMPRESSIVE ULTRA	138 x 19 cm	<u>÷</u> 12 mm ⁴
PERSPECTIVE WIDE	138 × 19 cm	÷9,5 mm
PERSPECTIVE	138 x 15,6 cm	≑9,5 mm √
LARGO	205 x 20,5 cm	≑9,5 mm -4 -
IMPRESSIVE	138 x 19 cm	<u>÷</u> 8 mm ⁴
ELITE	138 x 15,6 cm	<u>÷</u> 8 mm ⁴
ELIGNA WIDE	138 x 19 cm	<u>÷</u> 8 mm
ELIGNA	138 x 15,6 cm	≑ 8 mm •
CLASSIC NEW	120 x 19 cm	<u>÷</u> 8 mm
CREO	120 x 19 cm	<i>≑7</i> mm •
ARTE	62,4 x 62,4 cm	≑9,5 mm -4 -
EXQUISA	122,4 × 40,8 cm	≑8 mm - ⁴-/ - ⁴-




For residential use.

Normal daily use in ordinary living spaces.



For commercial use. Extra wear-resistant floors for areas with higher usage.

- * Perspective Wide 2: 1.569 m²
- ** Lay-out Exquisa: see page 29













The details make the difference

Each laminate floor has its own story and a unique look and feel. The Quick-Step designers carefully select the structure, treatment, finishing and bevel, perfectly in line with the character of each floor design.



Structure



Elegant wood structure

A subtle surface texture with a fine grain structure that gives a wood effect with a very natural look and feel.



Natural wood structure

A surface texture where the grain, knots and cracks that are visible in the design can also be felt in the surface structure of the laminate floor. This perfect combination of design and structure ensures that the floor looks and feels like real wood.



Intense wood structure

This distinct structure has varying depths and gloss levels accentuating the knots and cracks. The design and surface structure is more pronounced than the natural wood structure.



Stone structure

A surface texture that realistically displays the structure of a stone pattern.



Fantasy structure

A surface texture that has the look and feel of exclusive materials such as leathers and fabrics.

Treatment



Brushed

A surface effect that gives the appearance of brushed wood. The brushed treatment adds depth and authenticity to a laminate floor.



Saw cut

This effect gives the impression of rough sawn wood thanks to the visible and tangible saw cuts.



Scraped

A hand-scraped surface treatment gives a crafted, hand-worked finish to your floor.

Finishing



_______ Extra matt finish

An extra matt surface look.



A Matt finish

A matt surface look.



Silk/matt finish

The varying gloss levels accentuate the structure of the floor.



Silk finish

A silk surface look.



* Silverfrost finish

A surface effect that highlights the wood grains by running a subtle silvery tone through them.

Bevel



✓ Large bevel

Distinctive grooved edges offer the look of an expansive solid plank floor.



→ Micro bevel

Fine micro-beveled edges clearly delineate the planks.



Genuine bevel

The bevel is perfectly suited to the character of the floor. The colour, design and structure of the plank are visible right through the bevel.



Impression bevel

Effect that emphasises planks in a subtle way.







VALLEY OAK LIGHT BEIGE



DESERT OAK LIGHT NATURAL



WOODLAND OAK BEIGE



WOODLAND OAK NATURAL



DESERT OAK WARM NATURAL



VALLEY OAK LIGHT BROWN



WOODLAND OAK LIGHT GREY



DESERT OAK BRUSHED GREY



WOODLAND OAK BROWN MJ 3548



DESERT OAK BRUSHED DARK BROWN



Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on www.quick-step.co.uk

Please note: The printed designs give an idea of the actual colour and nuances of the pattern but are not true to nature. The patterns shown are only a sample and are not fully representative of all the different nuances within the design. For a representative view of the surface structure and joint-finishing of a plank, please ask your dealer for more advice.



















IMPRESSIVE ULTRA IMPRESSIVE



138 x 19 cm = 12 mm



∅ ∴ ~ -WHITE PLANKS IMU 1859* I IM 1859*



∅ ∴ ~ PATINA CLASSIC OAK LIGHT IMU 3559* 1 IM 3559*



CONCRETE WOOD LIGHT GREY



∅ ∴ ~ PATINA CLASSIC OAK GREY IMU 3560* 1 IM 3560*



SAW CUT OAK BEIGE



NATURAL PINE





∅ ∴ ~ CLASSIC OAK BEIGE



SOFT OAK LIGHT BROWN IMU 3557* | IM 3557*



SOFT OAK MEDIUM IMU 1856* | IM 1856*



(1) <u>~</u> ~ ~ SAW CUT OAK GREY IMU 1858* | IM 1858*



SOFT OAK GREY IMU 3558* | IM 3558*



∅ ∴ ~ CLASSIC OAK NATURAL IMU 1848* | IM 1848*



SOFT OAK NATURAL IMU 1855* | IM 1855*



SCRAPED OAK GREY BROWN IMU 1850* | IM 1850*



∅ ∴ ~ CLASSIC OAK BROWN IMU 1849* | IM 1849*







SOFT OAK LIGHT

IMU 1854* | IM 1854*



WHITE VARNISHED OAK



NATURAL VARNISHED OAK



BURNED PLANKS
IMU 1862* | IM 1862*



^{*}These products have been produced using class 32 (or class 33 in case of impressive Ultra) technology and components. Some of the EN 13329 test methods are not fully applicable. For more information: www.quick-step.co.uk

ELIGNA





^ ESTATE OAK BEIGE



(6) ★* RIVA OAK NATURAL EL 3578



METALLIC EFFECT METALLIC CÉRUSÉ OAK GOLD EL 3466



ESTATE OAK LIGHT GREY



⋒ <u></u> VENICE OAK BEIGE



(i) NATURAL VARNISHED OAK



NEWCASTLE OAK BROWN



(1) NEWCASTLE OAK GREY



LIGHT GREY VARNISHED OAK



(i) -----WHITE OAK LIGHT NATURAL



<u>نخ</u>د (۱۱۱) OILED WALNUT EL 1043



@ <u>~</u> VENICE OAK LIGHT



****** WHITE VARNISHED OAK



@ <u></u> OLD OAK MATT OILED



MERBAU EL 996





VENICE OAK GREY



VENICE OAK NATURAL



♠ ★_{*}

RIVA OAK BROWN
EL 3579



NEWCASTLE OAK DARK









 \bigcirc \sim -BLEACHED WHITE TEAK



RECLAIMED WHITE PATINA OAK CL 1653



BLEACHED WHITE OAK



@ - - -HAVANA OAK NATURAL CLM 1655



♠ ** — OLD OAK LIGHT GREY



ید ۱ **ENHANCED BEECH 3 STRIP** CL 1016



 \bigcirc VICTORIA OAK



MIDNIGHT OAK NATURAL



***** ENHANCED OAK NATURAL VARNISHED 3 STRIP



 \bigcirc WINDSOR OAK CLM 3184



MOONLIGHT OAK NATURAL



***** ----NATURAL VARNISHED OAK CLM 1292



⋒ ∸ — OLD OAK NATURAL CIM 1381



ENHANCED MERBAU 3 STRIP CL 1039



MIDNIGHT OAK BROWN CIM 1488



♠ ** — OLD OAK GREY CIM 1382



uw o | $\frac{4}{1}$ 138 x 19 cm = 8 mm

ELIGNA WIDE PERSPECTIVE WIDE

ULW $\stackrel{2}{\longrightarrow}$ | UFW $\stackrel{4}{\longrightarrow}$ 138 x 19 cm = 9,5 mm

UW: 8 mm medium planks with intense wood designs and impression bevel that complement the design | ULW/UFW: 9,5 mm medium planks with a subtle micro-bevel on either two or four sides



@ _ | @ _ ~ MORNING OAK LIGHT UW 1535 | ULW 1535 | UFW 1535



OAK WHITE OILED UW 1538 | ULW 1538 | UFW 1538



OAK NATURAL OILED UW 1539* | ULW 1539* | UFW 1539*



OAK WITH SAW CUTS NATURE UW 1548 | ULW 1548 | UFW 1548



RECLAIMED CHESTNUT NATURAL UW 1541* | ULW 1541* | UFW 1541*



RECLAIMED CHESTNUT ANTIQUE UW 1543* | ULW 1543* | UFW 1543*



∅ ∴ ¬ | ∅ ∴ ~ RECLAIMED CHESTNUT BROWN UW 1544 | ULW 1544 | UFW 1544



@ _ _ | @ _ ~ ~ FUMED OAK DARK UW 1540 | ULW 1540 | UFW 1540

PERSPECTIVE







WHITE BRUSHED PINE UF 1235



WHITE VARNISHED OAK



VARNISHED BEECH



♠ ☆ ▼ HARVEST OAK UF 860



NATURAL VARNISHED CHERRY



VINTAGE OAK NATURAL VARNISHED



NATURAL VARNISHED OAK



OLD OAK MATT OILED



DARK VARNISHED OAK



ANTIQUE OAK PLANKS UF 861



() <u>*</u> MERBAU UF 996



OILED WALNUT HF 1043



VINTAGE OAK DARK VARNISHED



HOMAGE OAK NATURAL OILED



WENGÉ UF 1000

LARGO



LIGHT RUSTIC OAK LPU 1396*



PACIFIC OAK LPU 1507 SUBTLE PRINTS ON THIS FLOOR



LONG ISLAND OAK LIGHT LPU 1660



(A) 🚣 🥆 🚜 DOMINICANO OAK GREY LPU 1663*



 \bigcirc \sim AUTHENTIC OAK LPU 1505



(A) 🚣 🥆 🚜 DOMINICANO OAK NATURAL LPU 1622*



WHITE VINTAGE OAK LPU 3985



@ _ LONG ISLAND OAK NATURAL



WHITE VARNISHED OAK LPU 1283



∅ ∴ ~ CAMBRIDGE OAK NATURAL LPU 1662*



^ NATURAL VARNISHED OAK LPU 1284



CAMBRIDGE OAK DARK LPU 1664*



GREY VINTAGE OAK LPU 3986



NATURAL VARNISHED MERBAU LPU 3988





_~~ LIGHT GREY VARNISHED OAK UE 1304



^ WORN LIGHT OAK



WHITE OAK LIGHT



♠ ** ~ OLD OAK LIGHT GREY



(i) ±= ---OLD WHITE OAK NATURAL



WHITE OAK MEDIUM



♠ ** ~ OLD OAK GREY



OLD WHITE OAK DARK



Order your floor samples online

Curious to see what the floor of your choice would look like in reality? How does it match your furniture, wall colour,... Order a floor sample online and see for yourself.





CREO

120 x 19 cm <u></u> **≠**7 mm




 \bigcirc CHARLOTTE OAK WHITE



 \bigcirc CHARLOTTE OAK BROWN CR 3177



 \bigcirc VIRGINIA OAK NATURAL CR 3182



 \bigcirc TENNESSEE OAK GREY



 \bigcirc TENNESSEE OAK LIGHT WOOD CR 3179



 \bigcirc TENNESSEE OAK NATURAL



 \bigcirc LOUISIANA OAK NATURAL




 \bigcirc VIRGINIA OAK BROWN



ARTE




62,4 x 62,4 ≠9,5 mm



MARBLE CARRARA UF 1400



LEATHER TILE LIGHT



LEATHER TILE DARK



POLISHED CONCRETE NATURAL



POLISHED CONCRETE DARK UF 1247



VERSAILLES WHITE OILED



® ~ VERSAILLES LIGHT UF 1155*












EXQ -4 | -4 122,4 × 40,8 cm = 8 mm







STEP 1 INSTALLATION

Install your floor without hassle!

Laying a Quick-Step floor is so easy thanks to the patented world-famous Uniclic® click system. This system is highly user-friendly, quicker to install and a lot more solid than other systems. A Quick-Step floor makes installation easy, even in the tightest corners or under radiators and doors.

1 Easy installation, thanks to the Uniclic® click system

Quick-Step is the inventor of the Uniclic® installation system, today the standard click-to-install system. Use the revolutionary and patented click system to effortlessly click your floor planks together.





2 Install laminate on underfloor heating and cooling

Quick-Step laminate floors are perfect for installing over underfloor heating or cooling when combined with the right underlay.

For more information: visit www.quick-step.co.uk

3 Easy to install on existing floors

See for yourself how easy it is to install a Quick-Step floor in our installation videos.



Installation tools

Quick•Step® INSTALLATION SET

QSTOOLA
Contents: Quick-Step tapping block, metal crowbar, adjustable spacers.



Install your laminate floor in an easy and professional way with the handy Quick-Step installation set.



A Quick Step® underlay for every situation

An underlay is an absolute necessity when laying a floor. Installing the right underlay has a major impact on the final look, quality and comfort of your Quick-Step laminate floor. The high-quality underlays are easy to install, create a level base for your new floor and provide excellent acoustic and thermal insulation. The Quick-Step underlays offer a stable base protecting the Uniclic & Uniclic Multifit systems. Moreover, they ensure protection from rising damp.

I want a budget friendly solution

I want to reduce both transition as reflected sound

I want to reduce the reflected sound that is caused by walking on the floor

I want to reduce the sound heard by neighbours I need additional insulation and levelling for my floor



Quick-Step® **BASIC PLUS**

Quick-Step®



Quick-Step® **SILENT WALK**



Quick-Step®
TRANSITSOUND



Quick-Step®
THERMOLEVEL



A good and economical basis for places with less traffic, for instance a bedroom or attic.



Ideal for places with frequent traffic, for instance a living room.



Ideal for the ground floor.



Ideal for an upper floor or an apartment.



The perfect choice for installation on top of an existing tiled floor or a very uneven floor. Also provides extra insulation.

Thickness: 2mm
Roll = 15m²/60m²

Thickness: 2mm Roll = 15m² Thickness: 2mmRoll = $7m^2$ Thickness: 2mm Roll = 15m² Thickness: 5mm Box = 9m²















- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating
- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating
- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating
- ✓ Floor cooling
- Use this underlay in combination with tape:
- ✓ Damp protection
- Leveling effect
- \checkmark Floor heating
- ✓ Damp protection
- ✓ Leveling effect

△ Do not use in combination with floor heating or cooling.

Please note: It is important to use a Quick-Step underlay to preserve the quality of your floor. When installed and maintained properly, Quick-Step provides a guarantee on the Quick-Step floor and the Uniclic system. Ask your dealer for an original Quick-Step underlay and visit www.quick-step.co.uk to read our guarantee terms."

STEP 2 FINISHING

Finish perfectly

Finish your floor perfectly with the Quick-Step skirtings and profiles.

1 Matching colours

Quick-Step offers skirting boards with perfectly matching colours for every floor.



2 A wide choice

Quick-Step has a wide variety of skirting boards and profiles in various heights and widths.

3 Scratch-resistant

The Quick-Step skirtings are scratch-resistant, protected against everyday wear and tear, and come with the same warranty as the floors.

Easy to install









Quick-Step®
ONE4ALL GLUE
Contents: 290 ml

The skirting boards and profiles can be installed swiftly and securely with the Quick-Step One4All glue.

With one tube of One4All glue you can fix approximately 15 m of skirtings to a wall.



Quick-Step®
CLIPS
Contents: 50 clips

Available for 7 or 8 mm floors (QSCLIPSKME7080A) and 9,5 mm floors (QSCLIPSKME95A).

Clip system for glueless and screwless installation of skirting boards. The skirting boards can be removed at any time.

The clips should be installed at the same time as your floor.



Quick-Step® TRACK 240 cm x 0,8 cm x 2,7 cm

Our made-to-measure track allows you to install skirting boards quick and easily. Simply attach the track to the wall with screws or Quick-Step One4All glue and then just click the skirting boards onto it. Afterwards, they can be easily removed, which is ideal when you need access to cables.

Skirting boards

Quick-Step® STANDARD SKIRTING **BOARD**

240 x 1.2 x 5.8 cm



 $240 \times 1.4 \times 7.7$ cm



Skirting boards with a groove on the back to hide phone or computer cables.

Quick-Step® LARGO PARQUET SKIRTING SCOTIA BOARD



Quick-Step®

240 x 1.7 x 1.7 cm



Can easily be cut to a 4 cm skirting thanks to preapplied cuts.



Plugs will help you to nicely join all skirtings, also in the corners.
Also available separately: NEPLUG

Paintable skirting boards









Quick-Step® **OGEE SKIRTING BOARD** 240 x 1.6 x 16 cm





Quick•Step® **COVER SKIRTING BOARD**

 $240 \times 1.6 \times 12.9 \text{ cm}$





Quick•Step® **FLEXIBLE SKIRTING**

The paintable skirting boards with Incizo® technology are very easily cut to fit the desired height (thanks to the preapplied cuts). Once they

are fitted, you can paint them or just leave them white.

 $1.4 \text{ cm} \times 4 \text{ cm}$ (to be cut to the desired length)



Also available in a non-flexible version to finish your room in the same style (length 240 cm: QSPSKR4PAINT).

Finishing profiles for floor and stairs

Quick-Step's Incizo® profile is a multifunctional finishing tool. One and the same profile can be used for all the finishes of your floor and stairs, in the matching colour. Simply cut the Incizo® basic profile to the shape required using the supplied slitter.



Quick-Step® Incizo®: five questions, one answer


- How can I join two floors of the same height?
- 2 How can I solve variations in height from one along a wall or a window? floor to another?
 - 3 How do I finish my floor
- 4 How can I connect my floor to a carpet, and have a beautiful finish?












Use the Incizo® profile cut as an expansion profile.



Use the Incizo® profile cut as an adapter profile.



Use the Incizo® profile cut as an end profile.



Use the Incizo® profile cut as a transition profile.





Discover our installation video on bit.ly/ytquickstep

5 What about the finishing of my stairs?

You can cover your stairs or steps with Quick-Step planks and finish in the style of your choice with the Incizo® profile as a stair nose.



Quick-Step®
INCIZO® PROFILE
QSINCP(-)
215 cm x 4,8 cm x 1,3 cm
Contents: 1 Incizo®, 1 slitter, 1 plastic rail



Quick-Step®
INCIZO® ALUMINIUM SUB-PROFILE FOR STAIRS
NEINCPBASE(-)
215 cm x 7,1 cm x 2 cm

To be ordered separately, including plastic strip. The Incizo $^\circ$ stairs finishing cannot be used for commercial applications.




 $270~cm \times 4{,}74~cm \times 1{,}14~cm$ or $93~cm \times 4{,}74~cm \times 1{,}14~cm$ Contents: 1 Incizo*, 1 handle and 1 plastic rail



With the supplied handle you can create the desired profile. Do not use on stairs. Available in aluminium, silver, gold or bronze. Also available for commercial applications with metal rail, screws and plugs. QSINCPCSILVME270 / for Impressive Ultra: QSINCPC12SILVME270

Quick-Step® MULTIFUNCTIONAL PROFILE

186 cm x 4,7 cm x 1 cm Contents: 1 multifunctional profile, 1 plastic rail



Profile in scratch-resistant aluminium to bridge height differences from 0 to 12.3 mm. To be used for instance between 2 Quick-Step laminate floors, or between a laminate floor and another lower or higher floor. Available in silver.

Finishing tools

Quick•Step® **KIT**

QSKIT(-) 310 ml



Elastic, acrylic-based paste. Use it to fill gaps in a matching colour.

Quick-Step® PE FOAM

NEFOAMSTRIP20 20 m x 10 mm



PE foam expansion joint filler (for use in combination with the Quick-Step Hydrokit). Makes your skirting finishing watertight!

Quick•Step® **HYDROKIT**

QSKITTRANSP 310 ml



The Quick-Step Hydrokit is a transparent silicone for an invisible and waterproof finishing of skirting boards, profiles,...

Use the Hydrokit and PE Foam to ensure your Majestic, Impressive (Ultra), Eligna and Classic floor is 100% waterproof. In addition, you profit from the 10 year Residential Wet Area Warranty.



Quick•Step® PIPE COVERS

Contents: 2 radiator covers per package.

The pipe covers allow you to finish heating elements and pipes. Available in two different diameters: 15 mm or 22 mm.



Quick-Step® DOORMAT

Mat: 74,6 cm x 43,4 cm x 0,9 cm Frame: 79 cm x 47,8 cm

The doormat fits seamlessly in a strong aluminium frame that is countersunk into the laminate. It's easy to install and clean. An elegant and practical solution.

STEP 3 CLEANING

Keep your floor in top condition



Quick•Step® CLEANING KIT

Contents: mop holder, washable microfiber mop, Quick-Step Cleaning product 1000 ml

The cleaning products are specifically developed for Quick-Step floors. They cleanse the floor surface thoroughly and maintain the original look of your floor. No residual layers of cleaning product are left behind.



Also available separately:

Quick-Step® CLEANING PRODUCT 2,5 L

QSCLEANING2500

Quick-Step®
CLEANING PRODUCT 1000 ML
QSCLEANING 1000

Quick-Step®
CLEANING MOP
QSSPRAYMOP



Quick•Step® **REPAIR KIT**

Contents: melting knife, cleaning comb, 7 wax blocks, sanding pad

Light damages can easily be repaired in the original colour with the Repair Kit.



Check the specific colour combination for your floor on bit.ly/ytquickstep





- $\ensuremath{ extstyle e$
- ☑ We invest in energy-efficient production
- $\ensuremath{ extstyle e$



At Quick-Step, we realise that the world you'd love to live in' is not just a world of stylish interiors. It's also a world that shows respect for our natural environment. That's why, as a company, we make continuous efforts to minimise the ecological impacts of our products and processes. Every day, we seek new ways to recycle, reduce and renew throughout the entire Quick-Step manufacturing process.

Range overview planks and tiles

	waterproof	dimensions	thickness	bevels
MAJESTIC		205 x 24 cm	<u>∓</u> 9,5 mm	4
IMPRESSIVE ULTRA	AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	138 x 19 cm	<u></u> 12 mm	4
PERSPECTIVE WIDE		138 x 19 cm	<u>÷</u> 9,5 mm	2/4
PERSPECTIVE		138 x 15,6 cm	≑ 9,5 mm	4
LARGO		205 x 20,5 cm	≑ 9,5 mm	4_
IMPRESSIVE	STUDIES OF	138 x 19 cm	÷8 mm	4
ELITE		138 × 15,6 cm	<u></u> 8 mm	4
ELIGNA WIDE		138 x 19 cm	<u>÷</u> 8 mm	0 / 4
ELIGNA	A CONTRACTOR OF THE PARTY OF TH	138 x 15,6 cm	<u></u> 8 mm	0
CLASSIC NEW	STURPE OF	120 x 19 cm	<u></u> 8 mm	0 / 4
CREO		120 x 19 cm	<i>≑7</i> mm	0
ARTE		62,4 x 62,4 cm	≑ 9,5 mm	4
EXQUISA		122,4 x 40,8 cm	<u>÷</u> 8 mm	4/4


LAMINATE

COLLECTION 2018 - 2019











Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on www.quick-step.co.uk



Choose a Quick-Step® Master Installer

Once you have chosen the perfect Quick-Step floor, your installation is the next important step. Choose a Quick-Step Master Installer who will install your floor to the highest standard and with the necessary attention to detail it deserves. Even more, the Quick-Step Master Installer offer an additional 2 year installation warranty. Find a Master Installer in your area on www.quick-step.co.uk

Your Quick-Step® point of sale



www.quick-step.co.uk

FOLLOW US ON

www.facebook.com/QuickStepFloors www.youtube.com/quickstepfloor







ep® is a quality product produced by 🛊 UNILIN 🛮 bvba – division Flooring, Ooigemstraat 3, B-8710 Wielsbeke, Belgium, Europe. COVERPHOTO IMU1855. Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice