

**QUICK-STEP**<sup>®</sup>  
FLOOR DESIGNERS



*Parquet*

COLLECTION 2018 - 2019



PAL 38885



COM 3097



## Discover your parquet floor

- 04 Discover our passion for wood
- 06 Authentic beauty meets easy living
- 08 **UNIQUE INNOVATION FROM 2019**  
**SURFACE & EDGE PROTECT+ TECHNOLOGY**  
Enjoy your parquet floor worry-free thanks to its unique coating
- 10 Create your own living space
- 12 Let us guide you to the perfect floor

## Collection overview

- 14 Range overview planks
- 16 Types of grading, treatment and finishing
- 18 Discover the full Parquet collection

## Installation

- 26 Install your floor without hassle
- 27 Simply choose click or glue
- 28 A Quick•Step® underlay for every situation
- 29 How to install your floor?

## Finishing



- 30 Finish perfectly

## Cleaning

- 34 Keep your floor in top condition



# Discover our passion for...








## artisan characteristics

Saw cuts are tangible evidence of pure artisanal craftsmanship. The manually applied saw cuts vary both in depth, width and interspace. Not a single plank is identical!


## craftsmanship

A Variano or Intenso plank consists of multiple small boards and is composed by hand, with eye for details.




## details

Our reclaimed look shows sawcuts, height differences and gaps.



## perfect finishing

Some of our floors look as matt as untreated wood. Nevertheless, they are easy to maintain.



## wooden structures

We brush some of our floors to accentuate the natural grain of the wood and create an extra authentic feel.

# Authentic beauty meets easy living



PAL 37875

## Maximum pleasure, easy maintenance



All Quick-Step parquet floors are finished with an advanced lacquer or oil to give your floor added resistance to wear, marks and scratches.

The moisture-repellent Protect+ technology prevents liquids from seeping into the wood and making the joints dirty. This helps to keep the gaps between the planks looking as good as new.

### UNIQUE INNOVATION FROM 2019

### SURFACE & EDGE PROTECT+ TECHNOLOGY

Our new Surface & Edge Protect+ technology can help to prevent mud, spilled foods and other dirt from getting stuck in the joints and texture of the wood. This will help to make your Quick-Step parquet much easier to clean (to read more, see p. 8-9).

With this unique protection and authentic floor designs, you can enjoy the floor's beauty and quality for years to come. And, using the right products, you can quickly and easily freshen up an oiled Quick-Step parquet floor.

## Quick-Step Parquet, the beauty of nature



Welcome the beauty of nature into your home by choosing a 100% real wood parquet floor from Quick-Step. The different dimensions of the planks and their wide variety of natural colours and finishes blend perfectly with every style and interior. We pay extra attention to the knots, the grain and colour of the planks so you get to enjoy the warmth of a handcrafted wooden floor.



PAL 3095S



## A perfectly installed floor is just a few clicks away

A parquet floor that's easy to install? Quick-Step makes it possible. Whether you decide to do it yourself or have it done by a professional, your new floor can be installed in no time, thanks to the Uniclic® Multifit system. The system enables you to click the planks together, using three different methods. What's more, Uniclic® Multifit is backed by a lifetime warranty. Take a look at page 29 and learn more about this revolutionary installation system.

Another great advantage: there's no need for post-installation work. No sanding, no dust, no varnishing, oiling or painting. As soon as your Quick-Step Parquet floor is installed, it's yours to enjoy for years to come.



### How to install your parquet floor

Installing a Quick-Step Parquet floor is very easy. Don't believe it? Let us help you out with our installation videos at [bit.ly/ytquickstep](http://bit.ly/ytquickstep)



# Enjoy your parquet floor worry-free thanks to its unique coating

If you're opting for a wooden floor, you'll want to retain its authentic beauty for as long as you can. Parquet floors from Quick-Step have been designed with exactly this in mind, and with the aim of creating warmth in the home for many years of enjoyment without worry.



PAL 3095S

## Resistance to wear and tear

Sliding chairs, high heels, children playing... floors go through a lot. All Quick-Step parquet floors have an additional, high-quality protective layer of lacquer or oil.



## For extra protection against dirty edges and joints



Thanks to the unique, moisture-repellent joint technology Edge Protect+, there's no need to worry if you spill something or while cleaning, as Edge Protect+ stops fluids from seeping into the wood and dirtying the joints, keeping the space between the planks clean and looking fresh for years to come, even with frequent cleaning.



WITHOUT EDGE PROTECT+ TECHNOLOGY



WITH EDGE PROTECT+ TECHNOLOGY

UNIQUE INNOVATION FROM 2019

SURFACE & EDGE PROTECT+ TECHNOLOGY

## Cleaning your parquet floor is now easier than ever

Muddy boots, chocolate sauce, wine or other dirt on your wooden floor? No need to worry! Your Quick-Step parquet floor with lacquer finish is now even easier to keep clean.



The newest Surface & Edge Protect+ technology prevents mud, spilled foods and other dirt from getting stuck in the joints and texture of the wood. This makes it easier to remove stubborn dirt with a damp floorcloth or mop, and helps to preserve the floor's attractive, authentic appearance.

Looking for a parquet floor that is easy to maintain? Quick-Step has exactly what you're looking for.



WITHOUT SURFACE & EDGE PROTECT+ TECHNOLOGY



WITH SURFACE & EDGE PROTECT+ TECHNOLOGY

# Create your own living space



More inspiration on  
[www.quick-step.com](http://www.quick-step.com)

A beautiful interior starts with a good foundation. The floor could be considered as the fifth wall and therefore it should not be overlooked. Whatever your style, whatever your room, Quick-Step has the right floor: from light, clean floors to warm brown classics and even reclaimed floors with knots and cracks. We will help you to find your perfect floor!







CAS 3897S



MAS 3563S



IMP 3793S



VARI630S



Our extra matt lacquer finish combines the look of an untreated floor with the advantages of a lacquered floor. It is easy to clean and its maximum protection against scratches and stains keeps your floor in shape!

# Let us guide you to the perfect floor

Choosing a new floor can raise a lot of questions: which colour should I go for? Which floor matches my style and my interior ?  
Check out our FloorExplorer and RoomViewer online – we will help you make up your mind.



PAL 30965

# FLOOR EXPLORER

## 3 EASY STEPS TO FIND YOUR PERFECT FLOOR

With so many flooring options to choose from, making the right decision can be a challenge. That's why we have introduced the online FloorExplorer tool: in three simple steps, you will get a selection of floors that perfectly match your personal needs and style.




Why not give it a try?  
Enter the FloorExplorer at  
[www.quick-step.com](http://www.quick-step.com)

1 SELECT  
A ROOM



2 CHOOSE  
A COLOUR



3 DEFINE  
YOUR STYLE



# ROOM VIEWER

## GET A PREVIEW OF YOUR FAVOURITE FLOORS

Wouldn't it be great if you could try out several floors first before making a final decision? Or even preview them in your own interior? With the online RoomViewer tool, you can do just that. Get lifelike previews and make sure that your final decision is the right one.



Try it out now!  
Launch the RoomViewer at  
[www.quick-step.com](http://www.quick-step.com)



DISCOVER YOUR PERFECT FLOOR ON [WWW.QUICK-STEP.COM](http://WWW.QUICK-STEP.COM)



# Range overview planks

dimensions

*Massimo*

240 x 26 cm

*Imperio*

220 x 22 cm

*Palazzo*

182 x 19 cm

*Castello*

182 x 14,5 cm

*Compact*

182 x 14,5 cm


*Variano*  
multistrip

220 x 19 cm

*Intenso*  
multistrip

105 x 31 cm

105 x 31 cm

























○ Oiled/lacquered finishing

○ ± 3 mm face layer (Compact: ± 2,5 mm)

○ Spruce core (Compact: HDF)

○ Veneer backing

thickness	bevels	build-up	pack	click system
≐ 14 mm	4	 ± 3 mm SPRUCE	4 x  = 2,496 m <sup>2</sup>	
≐ 14 mm	4	 ± 3 mm SPRUCE	4 x  = 1,936 m <sup>2</sup>	
≐ 14 mm	2 / 4	 ± 3 mm SPRUCE	6 x  = 2,075 m <sup>2</sup>	
≐ 14 mm	2	 ± 3 mm SPRUCE	6 x  = 1,583 m <sup>2</sup>	
≐ 12,5 mm	2 / 4	 ± 2,5 mm HDF	6 x  = 1,583 m <sup>2</sup>	
≐ 14 mm	0	 ± 3 mm SPRUCE	6 x  = 2,508 m <sup>2</sup>	
≐ 14 mm	0	 ± 3 mm SPRUCE	4 x  = 1,302 m <sup>2</sup>	



Every pack can contain 1 board which is composed of more planks with variable length.  
Easy and perfect to start and stop your row while installing your parquet floor.

## Intenso



- Oiled finishing
- ± 3 mm face layer
- HDF core
- Veneer backing



# The detail makes the difference

Quick-Step's Parquet collection is made with real oak, and each floor has its own unique look and feel. By combining the careful selection of grading and structure with innovative coatings and finishes, we ensure that all elements of our floors are in perfect harmony. Whatever you're looking for, we have the right floor for every style and every room.



## Masters of our craft

At Quick-Step, we're passionate about the beauty of wood. That's why we only use the finest wood for our parquet floors. We work with traditional, high-quality materials and handle them with the greatest care and attention, yet we never cease to innovate when it comes to interior design. Learn more about our passion on page 4 - 5.

## Grading

We have a unique grading system that sorts our floors into three different categories. It gives you an idea of how your floor will look.



### Nature

Wood with small knots. Variation in colour and structure.



### Marquant

Wood with knots. Lively variation in colour and structure.



### Vibrant

Wood with large knots and cracks. Lively variation in colour and structure with a rustic appearance.

	Nature	Marquant	Vibrant
COLOUR			
SAPWOOD	All sapwood is colour stained to match the general colour tone of the floor.	All sapwood is colour stained to match the general colour tone of the floor.	All sapwood is colour stained to match the general colour tone of the floor.
KNOTS			
CRACKS			



## Treatment



 Brushed  Deep Brushed

Brushing accentuates the natural grain structure of the wood plank and adds depth.



 Saw cuts

Random saw marks show the craftsmanship and character of the wood planks.



 Natural knots

On some floors the knots are not fully filled. Some of them are even manually sanded to emphasize the liveliness of the wood.



 Reclaimed look

Our Variano and Intenso floors are designed with a reclaimed look: showing saw cuts, height differences and gaps. See p. 24-25.



 Design colours

By using different treatment techniques such as fuming and reactive staining, each plank has a unique colour.

## Finishing

All Quick-Step Parquet floors are prefinished in the factory, which means no oiling or lacquering is needed after installation.

### 1 Oiled



 Oiled finish

 Extra Matt Oiled finish

- 2 layers of high quality oil.
- Brings out the authenticity of real wood.
- Can be renewed and repaired with Quick-Step maintenance products.

#### Extra Matt Oiled Finish

The extra matt oil finish highlights the nude and authentic character of the wooden floors.

### 2 Lacquered



 Extra matt finish

 Matt finish

 Silk finish

- 7 layers of protective lacquer.
- Highly scratch and wear resistant. Protects against water and household chemicals.
- Easy to clean wooden floor.

#### Extra matt finish

The extra matt lacquer finish combines the look of an untreated floor with the advantages of a lacquered floor.



# Bring authenticity to your home

Discover our range of 100% real wood parquet floors

MAS 35665

# Massimo


**MAS**  
240 x 26 cm ≡ 14 mm



Extra long and extra wide planks with an authentic look




SURFACE & EDGE PROTECT+



**FROZEN OAK EXTRA MATT**  
MAS3562S  
VIBRANT



SURFACE & EDGE PROTECT+



**CAPPUCCINO BLONDE OAK EXTRA MATT**  
MAS3566S  
VIBRANT



**WINTER STORM OAK EXTRA MATT OILED**  
MAS3563S  
VIBRANT



**DARK CHOCOLATE OAK EXTRA MATT OILED**  
MAS3564S  
VIBRANT

# Imperio


**IMP**  
220 x 22 cm ≡ 14 mm



Long and wide oak planks




SURFACE & EDGE PROTECT+



**EVEREST WHITE OAK EXTRA MATT**  
IMP3793S  
VIBRANT




SURFACE & EDGE PROTECT+



**GENUINE OAK EXTRA MATT**  
IMP3792S  
VIBRANT



SURFACE & EDGE PROTECT+



**GRAIN OAK EXTRA MATT**  
IMP3790S  
VIBRANT



**CARAMEL OAK OILED**  
IMP1625S  
VIBRANT



**NOUGAT OAK OILED**  
IMP1626S  
VIBRANT



**ROUGH GREY OAK OILED**  
IMP1628S  
MARQUANT




# Palazzo

PAL  
182 x 19 cm ≙ 14 mm



Elegant oak planks



SURFACE & EDGE PROTECT+



**POLAR OAK MATT**  
PAL1340S  
NATURE



**SEABED OAK OILED**  
PAL3890S  
VIBRANT



SURFACE & EDGE PROTECT+




**GLACIAL OAK EXTRA MATT**  
PAL3787S  
VIBRANT



**OAT FLAKE WHITE OAK OILED**  
PAL3891S  
MARQUANT



SURFACE & EDGE PROTECT+



**FROZEN OAK EXTRA MATT**  
PAL3562S  
VIBRANT



SURFACE & EDGE PROTECT+



**SNOW WHITE OAK EXTRA MATT**  
PAL3884S  
NATURE




SURFACE & EDGE PROTECT+



**LIME OAK EXTRA MATT**  
PAL3887S  
VIBRANT



SURFACE & EDGE PROTECT+



**REFINED OAK EXTRA MATT**  
PAL3095S  
NATURE




SURFACE & EDGE PROTECT+



**COUNTRY RAW OAK EXTRA MATT**  
PAL3097S  
VIBRANT



**DUNE WHITE OAK OILED**  
PAL1473S  
NATURE



SURFACE & EDGE PROTECT+




**SUMMER OAK EXTRA MATT**  
PAL3886S  
VIBRANT




**HONEY OAK OILED**  
PAL1472S  
NATURE




SURFACE & EDGE PROTECT+




**NATURAL HERITAGE OAK MATT**  
PAL1338S  
MARQUANT



SURFACE & EDGE PROTECT+



**SUNSET OAK EXTRA MATT**  
PAL3893S  
VIBRANT



SURFACE & EDGE PROTECT+



**CINNAMON OAK EXTRA MATT**  
PAL3096S  
VIBRANT




SURFACE & EDGE PROTECT+



**GINGER BREAD OAK EXTRA MATT**  
PAL3888S  
NATURE



**FROSTED OAK OILED**  
PAL3092S  
NATURE



**SILVERY OAK EXTRA MATT**  
PAL3892S  
MARQUANT



**BLUE MOUNTAIN OAK OILED**  
PAL3094S  
VIBRANT



**CONCRETE OAK OILED**  
PAL3795S  
VIBRANT



**LATTE OAK OILED**  
PAL3885S  
VIBRANT



**MIDNIGHT OAK OILED**  
PAL3889S  
VIBRANT



### Order your floor samples online

Curious to see what the floor of your choice would look like in reality?

How does it match your furniture, wall colour,... Order a floor sample online and see for yourself.

# Castello

CAS  
182 x 14,5 cm ≙ 14 mm



Smaller planks in different finishes




SURFACE & EDGE PROTECT+



**POLAR OAK MATT**  
CAS1340S  
NATURE




SURFACE & EDGE PROTECT+



**SNOW WHITE OAK EXTRA MATT**  
CAS3884S  
NATURE



SURFACE & EDGE PROTECT+



**SILK OAK EXTRA MATT**  
CAS3894S  
NATURE



**DUNE WHITE OAK OILED**  
CAS1473S  
NATURE



SURFACE & EDGE PROTECT+




**PURE OAK MATT**  
CAS1341S  
NATURE



**HONEY OAK OILED**  
CAS1472S  
NATURE



SURFACE & EDGE PROTECT+



**NATURAL HERITAGE OAK MATT**  
CAS1338S  
MARQUANT



SURFACE & EDGE PROTECT+




**HAVANA SMOKED OAK MATT**  
CAS1354S  
NATURE




**BARREL BROWN OAK OILED**  
CAS3897S  
MARQUANT




**CAPPUCCINO OAK OILED**  
CAS1478S  
MARQUANT



SURFACE & EDGE PROTECT+



**COFFEE BROWN OAK MATT**  
CAS1352S  
NATURE



SURFACE & EDGE PROTECT+



**WENGÉ OAK SILK**  
CAS1343S  
NATURE

# Compact


COM  
182 x 14,5 cm ≙ 12,5 mm



Planks with a renovation friendly thickness




SURFACE & EDGE PROTECT+



**ZAPHYR OAK EXTRA MATT**  
COM3895  
VIBRANT



SURFACE & EDGE PROTECT+



**OAK HIMALAYAN WHITE EXTRA MATT**  
COM3098  
MARQUANT




SURFACE & EDGE PROTECT+



**OAK COTTON WHITE MATT**  
COM1451  
MARQUANT




SURFACE & EDGE PROTECT+



**OAK PURE EXTRA MATT**  
COM3100  
MARQUANT



SURFACE & EDGE PROTECT+



**COUNTRY RAW OAK EXTRA MATT**  
COM3097  
VIBRANT




SURFACE & EDGE PROTECT+



**OAK NATURAL MATT**  
COM1450  
MARQUANT



SURFACE & EDGE PROTECT+



**OAK SNOWFLAKE WHITE EXTRA MATT**  
COM3099  
MARQUANT



**DUSK OAK OILED**  
COM3899  
VIBRANT



SURFACE & EDGE PROTECT+



**OAK COBBLESTONE GREY EXTRA MATT**  
COM3107  
MARQUANT



**NUTMEG OAK OILED**  
COM3898  
VIBRANT

ROOM  
VIEWER

Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on [www.quick-step.com](http://www.quick-step.com)



**PAINTED WHITE OAK OILED**  
VAR1629S  
MARQUANT



**DYNAMIC RAW OAK EXTRA MATT**  
VAR3102S  
MARQUANT



**SEASHELL WHITE OAK EXTRA MATT**  
VAR3101S  
MARQUANT



**CHAMPAGNE BRUT OAK OILED**  
VAR1630S  
MARQUANT




**ROYAL GREY OAK OILED**  
VAR1631S  
MARQUANT




**ESPRESSO BLEND OAK OILED**  
VAR1632S  
MARQUANT



The Variano and Intenso ranges are a unique Quick-Step creation. The planks consist of multiple small wooden boards of different length, width and finishes- rough and smooth, with large and small knots, one slightly straighter than the next, perfectly even or with a saw cut. These pieces are handpicked and manually put together like a puzzle, creating splendid eye-catchers with a distinct reclaimed look.



Variano



Intenso





# Intenso

INT  
105 x 31 cm   14 mm

Chevron pattern plank with a unique reclaimed look



**TRADITIONAL OAK OILED**  
INT3902  
VIBRANT



**ECLIPSE OAK OILED**  
INT3903  
VIBRANT



**INDUSTRIAL OAK OILED**  
INT3904  
VIBRANT



**INTENSE OAK OILED**  
INT3901  
VIBRANT



INT 3903



INT 3903

## STEP 1 INSTALLATION

# Install your floor without hassle!

Laying a Quick-Step floor is so easy thanks to the patented world-famous Uniclic® Multifit click system. This system is highly user-friendly, quicker to install and a lot more solid than other systems. A Quick-Step floor makes installation easy, even in the tightest corners or under radiators and doors.

### 1 Install your floor anywhere, even on floor heating

Quick-Step Parquet floors are perfect for installing over floor heating, whether you choose for a glued down or floating installation.

### 2 Easy installation thanks to the click systems

Our Uniclic® Multifit and Uniclic® click systems are developed especially for parquet floors, making them fast and easy to install.

### 3 Installation tools for every situation

Quick-Step accessories such as our installation set or hand saw help make your floor installation easy.



Discover our installation videos on [www.quick-step.com](http://www.quick-step.com)

\*Intenso: compatible with the Uniclic® click system.  
Discover the installation instruction on [www.quick-step.com](http://www.quick-step.com)

# Simply choose click or glue

Whether you opt for a glued down or a floating installation, Quick-Step has the perfect solution.

## GLUED DOWN

Why Quick-Step® Parquet Glue?

### 1 Maximum sound reduction

Reflected walking sound in the room is reduced to a minimum.

### 2 Resistant to humidity

The Quick-Step Parquet Glue has a good resistance to humidity.

### 3 Highly elastic

The Quick-Step Parquet Glue is highly elastic. Your floor can breathe and expand with any temperature variation.

### 4 Ideal for floor heating

Gluing your floor is the best solution for floor heating systems.



#### Quick-Step® PARQUET GLUE

16kg: QSWG16 = for +/- 16 m<sup>2</sup>  
use 1-1,2 kg per square metre engineered wood



#### Quick-Step® PARQUET TROWEL QSWB11

The Parquet glue trowel ensures the perfect glue consumption per m<sup>2</sup>. To be ordered separately.

## FLOATING

Why a Quick-Step® underlay?

### 1 Permanently sound-absorbing

Quick-Step underlays maintain their initial thickness over the years. You may rest assured that they will continue to dampen sounds both in the room in which they're installed and in the room below.

### 2 Ideal for Uniclic® Multifit

All Quick-Step underlays offer a stable base which protects the Uniclic® Multifit system against heavy furniture and heavy short term loads such as high heels.

### 3 Levels out irregularities

A Quick-Step underlay creates a firm, level base for your new floor.

### 4 Excellent damp protection

The integrated Damp Proof Membrane (DPM) protects your floor from rising damp.



**Floor heating:** Every Quick-Step Parquet floor is suitable for installation over traditional floor heating. Keep in mind:

- The best result will be obtained when gluing your Parquet floor with Quick-Step Parquet Glue.
- As a damp-resistant screen cannot be used in combination with a glued down wood floor, sudden or large temperature changes might cause condensation.
- For floating installations, we only advise floor heating in combination with the Quick-Step Silent Walk underlay. This underlay stops rising damp or condensation.



# A Quick-Step® underlay for every situation

An underlay is an absolute necessity when laying a floor. Installing the right underlay has a major impact on the final look, quality and comfort of your Quick-Step Parquet floor. The high-quality underlays are easy to install, create a level base for your new floor and provide excellent acoustic and thermal insulation. The Quick-Step underlays offer a stable base protecting the Uniclic® & Uniclic® Multifit systems. Moreover, they ensure protection from rising damp.

I want a budget friendly solution



Quick-Step®  
**BASIC PLUS**



QSUDLBP15/60

A good and economical basis for places with less traffic, for instance a bedroom or attic.

Thickness: 2 mm  
Roll: 15 m<sup>2</sup> / 60 m<sup>2</sup>




- ✓ Damp protection
- ✓ Leveling effect

I want to reduce both transition as reflected sound



Quick-Step®  
**UNISOUND**



QSUDLDRUCO15

Ideal for places with frequent traffic, for instance a living room.

Thickness: 2 mm  
Roll: 15 m<sup>2</sup>



- ✓ Damp protection
- ✓ Leveling effect

I want to reduce the reflected sound that is caused by walking on the floor



Quick-Step®  
**SILENT WALK**



QSUDLSW7

Ideal for the ground floor. Suitable for underfloor heating and cooling.

Thickness: 2 mm  
Roll: 7 m<sup>2</sup>



- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating
- ✓ Floor cooling

I want to reduce the sound heard by neighbours



Quick-Step®  
**TRANSITSOUND**



QSUDLTRS15

I want to reduce the sound heard by neighbours.

Thickness: 2 mm  
Roll: 15 m<sup>2</sup>



- ✓ Damp protection
- ✓ Leveling effect

I need additional insulation and leveling for my floor



Quick-Step®  
**THERMOLEVEL**



QSUDLTR9

The perfect choice for the installation on top of an existing tile floor or highly uneven floor. Also provides extra insulation.

Thickness: 5mm  
Box: 9m<sup>2</sup>



- ✓ Damp protection
- ✓ Leveling effect

💡 Use this underlay in combination with tape:  
**NETAPE50**

Please note: It is important to use a Quick-Step underlay or Quick-Step Parquet glue to preserve the quality of your floor. When installed and maintained in the right way, Quick-Step can offer a warranty on the Quick-Step floor and Uniclic® Multifit system. Ask your dealer for a genuine Quick-Step underlay or Quick-Step Parquet glue and visit [www.quick-step.com](http://www.quick-step.com) to read our warranty conditions.




# How to install your floor?



## 1 Drop down \*

To quickly install a large area.




Click the panel in the long side, slide your floorboards towards each other on the short side and press down.

\*Not applicable to Intenso Range.

Discover the installation instruction on [www.quick-step.com](http://www.quick-step.com)

## 2 Angling


To install the first row of planks.



Click the panels first on the short side and click the long sides together.

## 3 Horizontal insertion

To install in difficult areas.



Unlike many other brands, Quick-Step Parquet planks can also be inserted horizontally. This is very handy when installing the last row of planks, or in places where it is difficult or even impossible to tilt them (under door frames or radiators, for example).

## Installation tools



### Quick-Step® INSTALLATION SET

QSTOOLA

Contents: Quick-Step tapping block, metal crowbar, adjustable spacers.



Install your parquet floor in an easy and professional way with the handy Quick-Step installation set.

## STEP 2 FINISHING

# Finish perfectly

Finish your floor perfectly with the Quick-Step skirtings and profiles.

### 1 Matching colours

Quick-Step offers skirting boards with perfectly matching colours for every floor.



### 2 Real veneer

Quick-Step skirting boards are finished with a quality veneer surface. This means they can really take the rough and tumble of everyday life!

### 3 Quick-Step® warranty

Quick-Step skirting boards come with the same warranty as Quick-Step floors.



## Easy to install



Quick-Step®  
**TRACK**  
240 cm x 0,8 cm x 2,7 cm

Our made-to-measure track allows you to install skirting boards quick and easily. Simply attach the track to the wall with screws or Quick-Step One4All glue and then just click the skirting boards onto it. Afterwards, they can be easily removed, which is ideal when you need access to cables.



Quick-Step®  
**ONE4ALL GLUE**  
Contents: 290 ml

The skirting boards and profiles can be installed swiftly and securely with the Quick-Step One4All glue.

With one tube of One4All glue you can fix approximately 15 m of skirtings to a wall.

## Skirting boards

Quick-Step®  
**SCOTIA**  
240 x 1,7 x 1,7 cm



Quick-Step®  
**PARQUET SKIRTING BOARD**  
240 x 1,6 x 8 cm




Skirting board with a groove on the back to hide phone or computer cables.

## Paintable skirting boards




The paintable skirting boards with Incizo® technology are very easily cut to fit the desired height (thanks to the preapplied cuts). Once they are fitted, you can paint them or just leave them white.


Quick-Step®  
**OVOLO SKIRTING BOARD**  
240 x 1,6 x 16 cm



Quick-Step®  
**OGEE SKIRTING BOARD**  
240 x 1,6 x 16 cm



Quick-Step®  
**COVER SKIRTING BOARD**  
240 x 1,6 x 12,9 cm



Quick-Step®  
**FLEXIBELE SKIRTING**  
1,4 cm x 4 cm (to be cut to the desired length)



Also available in a non-flexible version to finish your room in the same style (length 240 cm: QSPSKR4PAINT).

## Finishing profiles for floor and stairs

Quick-Step's Incizo® profile is a multifunctional finishing tool. One and the same profile can be used for all the finishes of your floor and stairs, in the matching colour. Simply cut the Incizo® basic profile to the shape required using the supplied splitter.

Quick-Step® Incizo®: five questions, one answer




1 How can I join two floors of the same height?


2 How can I solve variations in height from one floor to another?

3 How do I finish my floor along a wall or a window?


4 How can I connect my floor to a carpet, and have a beautiful finish?




Use the Incizo® profile cut as an expansion profile.



Use the Incizo® profile cut as an adapter profile.



Use the Incizo® profile cut as an end profile.



Use the Incizo® profile cut as a transition profile.



## Finishing tools



Quick-Step®  
**HYDROKIT**  
QSKITTRANSP 310ml



The Quick-Step Hydrokit is a transparent silicone for an invisible and waterproof finishing of skirting boards, profiles,...





Discover our installation videos on [www.quick-step.com](http://www.quick-step.com)

## 5 What about the finishing of my stairs?

You can cover your stairs or steps with Quick-Step planks and finish in the style of your choice with the Incizo® profile as a stair nose.



### Quick-Step® **INCIZO® PROFILE**

QSWINCP(-)

215 cm x 5,4 cm x 1,7 cm

Contents: 1 Incizo®, 1 slitter, 1 plastic rail,  
screws and plugs

### Quick-Step® **INCIZO® ALUMINIUM SUB-PROFILE FOR STAIRS**

NEWINCPBASE(-)

215 cm x 1,9 cm x 7,35 cm

To be ordered separately.

The Incizo® stairs finishing cannot be used for commercial applications.

### Quick-Step®

#### **KIT**

QSKIT(-) 310 ml



This elastic, acrylic-based paste is the ideal solution for those spots where you cannot install skirting boards or profiles. It's available in a colour matching your floor. Ask your dealer for advice.



QSRCINOX15  
QSRCINOX22

### Quick-Step® **PIPE COVERS**

Contents: 2 radiator covers per package

Available in two different diameters - either 15 mm or 22 mm.

The Quick-Step stainless steel pipe covers allow you to finish heating elements and pipes in a stylish and modern way in perfect harmony with your floor.

## STEP 3 CLEANING

# Keep your floor in top condition



### Quick-Step® CLEANING KIT

Contents: mop holder, washable microfiber mop,  
Quick-Step Cleaning product 1000 ml

The cleaning products are specifically developed for Quick-Step floors. They cleanse the floor surface thoroughly and maintain the original look of your floor. No residual layers of cleaning product are left behind.

Also available separately:

Quick-Step®  
**CLEANING  
PRODUCT 2,5 L**  
QSCLEANING2500

Quick-Step®  
**CLEANING  
PRODUCT 1000 ML**  
QSCLEANING1000

Quick-Step®  
**CLEANING  
MOP**  
QSSPRAYMOP



### EVERY 4<sup>TH</sup> CLEANING



Quick-Step®  
**OIL CARE**  
QSWOILCARE1000  
Contents: 1000 ml

#### Keep your floor in top condition

- Protects your oiled Parquet floor and prevents it from drying out and losing its gloss
- Restores the original look and eliminates micro-scratches
- Delays the need for maintenance oil
- Easy, user-friendly and efficient
- Use once every 4 "slightly damp" cleans

### EVERY YEAR



Quick-Step®  
**MAINTENANCE OIL WHITE**  
QSWMAINTOILW

Quick-Step®  
**MAINTENANCE OIL  
TRANSPARENT**  
QSWMAINTOILN  
Contents: 1 L (=75 m<sup>2</sup>)

#### For intensive care & repair

- Retains the oiled Parquet floor's matte finish
- Repairs minor damages to the floor
- Nourishes the floor
- Low emissions
- Solvent-free



Check our online overview to see which maintenance oil fits your oiled Parquet floor: [www.quick-step.com](http://www.quick-step.com)

## Oiled Parquet floors: the cleaning cycle



## Repair



### Quick-Step® **REPAIR KIT**

QSREPAIR

Contents: melting knife, cleaning comb,  
7 wax blocks, sanding pad

Light damages can easily be repaired in the original colour with the Repair Kit. Simply recreate the colour of your damaged planks with one of the seven wax pieces selected to cover all Quick-Step colours.



Check the specific colour combination for your floor on [www.quick-step.com](http://www.quick-step.com)

# Parquet

COLLECTION 2018 - 2019



#### Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on [www.quick-step.com](http://www.quick-step.com)



#### Choose a Quick-Step® Master Installer

Once you have chosen the perfect Quick-Step floor, your installation is the next important step. Choose a Quick-Step Master Installer who will install your floor to the highest standard and with the necessary attention to detail it deserves. Even more, the Quick-Step Master Installer offer an additional 2 year installation warranty. Find a Master Installer in your area on [www.quick-step.co.uk](http://www.quick-step.co.uk)

Your Quick-Step® point of sale



[www.quick-step.com](http://www.quick-step.com)

#### FOLLOW US ON



[www.facebook.com/QuickStepFloors](https://www.facebook.com/QuickStepFloors)



[www.youtube.com/quickstepfloor](https://www.youtube.com/quickstepfloor)



[plus.google.com/+quickstep](https://plus.google.com/+quickstep)



[www.pinterest.com/quickstepfloor](https://www.pinterest.com/quickstepfloor)



[@QuickStepFloor](https://twitter.com/QuickStepFloor)

Quick-Step® is a quality product produced by UNILIN bvba – division Flooring, Ooigemstraat 3, B-8710 Wielsbeke, Belgium, Europe. COVERPHOTO INT 3902. Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. Content © 2018 - 2019 by UNILIN bvba – division Flooring. All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. Print ref. 018 370 01