




**QUICK-STEP**<sup>®</sup>  
FLOOR DESIGNERS

The start of  
something beautiful


*Parquet*

COLLECTION 2016 - 2017

# The start of something beautiful



IMP 1625



CAS 1349



VAR 1630





MAS 3562



CAS 1343

## Welcome

- 04 Discover our passion for wood
- 06 The perfect floor designed for your interior
- 08 **NEW** Massimo collection:  
Discover the effect of big
- 10 Create your own living space

## Collection overview

- 12 Range overview planks
- 14 Types of wood, grading, treatment and finishing
- 16 Discover the full Parquet collection

## Installation

- 22 Install your floor without hassle
- 23 Simply choose click or glue
- 24 A Quick•Step® underlay for every situation
- 25 How to install your floor?

## Finishing

- 26 Finish perfectly


## Cleaning

- 30 Keep your floor in top condition




PAL 3095

# Discover our passion for...




## nature

All our floors are PEFC certified, this indicates that the wood comes from sustainably managed forests.



## natural knots

Some of our floors have knots that are only partially filled, others have knots that are sanded by hand. All this is done to emphasize the liveliness of the wood.



## design

We aim for the perfect balance between the type of wood, the grading, the colour, structure, finishing and plank size.



## authenticity

By using different treatment techniques such as fuming and special staining, each plank has a unique colour. Because of this, we create a lively colour variation between the planks. These effects bring the authentic character of nature into your home.




## artisan characteristics

Saw cuts are tangible evidence of pure artisanal craftsmanship. The manually applied saw cuts vary both in depth, width and interspace. Not a single plank is identical!


## craftsmanship

A variano plank consists of multiple small boards and is composed by hand, with eye for details.





## details

Our reclaimed look shows sawcuts, height differences and gaps.



## perfect finishing

Some of our floors look as matt as untreated wood, and are also easy to maintain.



## wooden structures

We brush some of our floors to accentuate the natural grain of the wood and create an extra authentic feel.

# The perfect floor designed for your interior

## Design & technology of today

Designing a Quick-Step floor is a process in which technology and creativity go hand in hand. The designers create a very wide variety of floors, each with its own natural character. That's why we work down to the smallest details, so that you can choose from an unparalleled range of designs.

## Quick-Step® makes it easy for you

At Quick-Step we don't just offer a product, we offer a total solution. From floors, to skirting boards and stair solutions, underlays, finishing profiles and accessories, our range of products guarantees a perfect result every time.

As the inventor of the Uniclic® Multifit click system, Quick-Step also ensures a hassle free installation.

The system enables you to click the planks together in no time using three different methods, including drop-down.



## A heart for nature

At Quick-Step, we are conscious that the world in which you want to live doesn't consist of just stylish interiors. It is equally a world that radiates respect for our natural environment.

That is precisely why we continually do our best to keep the environmental impact of our products and processes to a minimum.





## A lifetime of pleasure

### Warm, authentic and 100% wood



Our Quick-Step Parquet floors are crafted from 100% real wood and treated with love and care during the manufacturing process. They feel warm at your feet and bring the authenticity of handcrafted wood into your home.

### Enjoy immediately



Unlike other wooden floors, there's no post-installation work needed with your Quick-Step Parquet floor. Which means no sanding, no dust, no varnishing, oiling or painting at all. As soon as your Quick-Step Parquet floor is installed, you'll be able to enjoy and use it instantly for years to come!

### Can withstand spills and scratches



Thanks to our technologically highly advanced finishes in lacquer or oil, some of our floors look as matt as untreated wood. Moreover our finishes are highly wear, stain and scratch resistant. If you are looking for a floor which is easy to maintain, a Quick-Step Parquet floor is your way to go.

NEW



Discover  
the effect of  
**big**





## The big effect collection: Massimo

**Make it big: that's what our Massimo parquet is all about. With its unprecedentedly long and wide planks, and superior authenticity and craftsmanship, this truly unique wooden floor breathes luxury.**



Massimo's story starts with wood, nature's most noble raw material. Massimo is marked by carefully handpicked planks with large knots and cracks, creating a vibrant appearance. Because filling is done manually, knots retain their natural look and the authentic character of the floor is respected. As a result, your floor will always have a lively variation in colour and structure and a rustic appearance. To enhance the nude, untreated look, and protect the floor against stains from coffee and wine, Massimo planks are finished with extra matt oil or lacquer.

What about practical considerations? We're talking engineered wood here, crafted through a combination of artisan principles and the latest design and production technologies. This means that you get maximum stability, along with quick-and-easy installation thanks to Quick-Step's patented Uniclic® Multifit system.

Massimo comes in four beautiful decors, developed in-house by our design team and in line with the latest trends in architecture, fashion and design. Whatever style fits your personality, Massimo can make your biggest dreams come true.

# Create your own living space



More inspiration on  
[www.quick-step.com](http://www.quick-step.com)

A beautiful interior starts with a good foundation. The floor could be considered as the fifth wall and therefore it should not be overlooked. Whatever your style, whatever your room, Quick-Step has the right floor: from light, clean floors to warm brown classics and even reclaimed floors with knots and cracks.





CAS 1356



PAL 1473



PAL 3093



MAS 3564



Our extra matt lacquer finish combines the look of an untreated floor with the advantages of a lacquered floor. It is easy to clean and its maximum protection against scratches and stains keeps your floor in shape!

# Range overview planks

dimensions

*Massimo*

NEW

240 x 26 cm

THE BIG EFFECT COLLECTION

*Imperio*

220 x 22 cm

*Palazzo*

182 x 19 cm

*Castello*

182 x 14,5 cm

*Variano* multistrip


220 x 19 cm

*Compact*






















182 x 14,5 cm

*Villa* 3-strip

220 x 19 cm



- Oiled/lacquered finishing
- 3,2 mm face layer (Compact: 2,5 mm)
- Spruce core (Compact: HDF)
- Veneer backing

thickness	bevels	build-up	pack	warranty
≍ 14 mm	4	 3,2 mm	4 x  = 2,496 m <sup>2</sup>	
≍ 14 mm	4	 3,2 mm	4 x  = 1,936 m <sup>2</sup>	
≍ 14 mm	2 / 4	 3,2 mm	6 x  = 2,075 m <sup>2</sup>	
≍ 14 mm	2	 3,2 mm	6 x  = 1,583 m <sup>2</sup>	
≍ 14 mm	0	 3,2 mm	6 x  = 2,508 m <sup>2</sup>	
≍ 12,5 mm	2	 2,5 mm	6 x  = 1,583 m <sup>2</sup>	
≍ 14 mm	0	 3,2 mm	6 x  = 2,508 m <sup>2</sup>	

Every pack can contain 1 board which is composed of two planks with variable length.



# The details make the difference

Each Parquet floor has its own story and a unique look and feel. The Quick-Step designers carefully select the grading, structure and finishing in line with the character of each floor design.

## Wood species




**Oak**

Oak has a yellow to brown colour, with its typical grain.




**Ash**

Ash planks have a white to pale yellow colour, with smooth grain.




**Walnut**

Walnut has a warm brown colour which contrasts with the whitish sapwood.



**Merbau**

Merbau varies widely from orange towards dark reddish brown.



**Jatoba**

Jatoba planks are reddish pink and brown, with straight grain.


## Grading

We have a unique grading system that sorts our floors into five different categories. It gives you an idea of how your floor will look.




**Finesse**

Wood with little knots. Light variation in colour and structure.




**Nature**

Wood with knots. Variation in colour and structure.




**Marquant**

Wood with large knots. Lively variation in colour and structure.



**Vibrant**

Wood with large knots and small cracks. Lively variation in colour and structure with a rustic appearance.




**Character**

Wood with large dark filled knots and cracks. Lively variation in colour and structure with a rustic appearance.

COLOUR  
SAPWOOD  
KNOTS  
CRACKS

	Finesse	Nature	Marquant	Vibrant	Character
COLOUR	Natural uniform colour	Natural colour	Lively variation	Lively variation	Lively variation
SAPWOOD	Not allowed	All sapwood is colour stained to match the general colour tone of the floor.*	All sapwood is colour stained to match the general colour tone of the floor.	Allowed	Allowed
KNOTS	Max. 5 mm (not in groups, fully filled)	Max. 20 mm (fully filled)	Max. 50 mm** (half or fully filled)	Max. 80 mm (half filled)	Max. 80 mm (half filled)
CRACKS	Not allowed	Not allowed	Not allowed		

## Treatment



 **Brushed**  **Deep Brushed**

Brushing accentuates the natural grain structure of the wood plank and adds depth.



 **Saw cuts**

Random saw marks show the craftsmanship and character of the wood planks.



 **Timeworn**

Sloping, seemingly worn edges create an aged look.



 **Natural knots**

On some floors the knots are not fully filled. Some of them are even manually sanded to emphasize the liveliness of the wood.



 **Reclaimed look**

Our Variano floors are designed with a reclaimed look: showing saw cuts, height differences and gaps. See p. 19.




 **Design colours**

By using different treatment techniques such as fuming and staining, each plank has a unique colour.

## Finishing

All Quick-Step Parquet floors are prefinished in the factory, which means no oiling or lacquering is needed after installation.

### 1 Oiled




 **Oiled finish**

 **Extra Matt Oiled finish**

- 2 layers of high quality oil.
- Brings out the authenticity of real wood.
- Can be renewed and repaired with Quick-Step maintenance products.

### 2 Lacquered



 **Extra matt finish**

 **Matt finish**

 **Silk finish**

 **Satin finish**

- 7 layers of protective lacquer.
- Highly scratch and wear resistant. Protects against water and household chemicals.
- Easy to clean wooden floor.

 **Extra Matt Oiled Finish** NEW

The new extra matt oil finish highlights the nude and authentic character of the wooden floors.

# Massimo

**MAS**  
240 x 26 cm ≙ 14 mm


The big effect collection.  
Extra long and extra wide planks with an authentic look




**NEW**




**FROZEN OAK EXTRA MATT**  
MAS3562  
VIBRANT



**WINTER STORM OAK  
EXTRA MATT OILED**  
MAS3563  
VIBRANT



**CAPPUCCINO BLONDE OAK  
EXTRA MATT**  
MAS3566  
VIBRANT




**DARK CHOCOLATE OAK  
EXTRA MATT OILED**  
MAS3564  
VIBRANT


# Imperio

**IMP**  
220 x 22 cm ≙ 14 mm


Long and wide oak planks



**ROUGH WHITE OAK OILED**  
IMP1627  
MARQUANT




**PURE OAK MATT**  
IMP1623  
MARQUANT




**NATURAL HERITAGE OAK OILED**  
IMP1624  
MARQUANT



**CARAMEL OAK OILED**  
IMP1625  
CHARACTER



**NOUGAT OAK OILED**  
IMP1626  
CHARACTER



**ROUGH GREY OAK OILED**  
IMP1628  
MARQUANT






    
**POLAR OAK MATT**  
PAL1340  
NATURE




    
**REFINED OAK EXTRA MATT**  
PAL3095  
NATURE




   
**DUNE WHITE OAK OILED**  
PAL1473  
NATURE





    
**FROSTED OAK OILED**  
PAL3092  
NATURE



     
**LIMED GREY OAK MATT**  
PAL1345  
MARQUANT





      
**COUNTRY RAW OAK EXTRA MATT**  
PAL3097  
VIBRANT



    
**PURE OAK MATT**  
PAL1341  
NATURE




   
**HONEY OAK OILED**  
PAL1472  
NATURE



    
**NATURAL HERITAGE OAK MATT**  
PAL1338  
MARQUANT



    
**SUMMER BREEZE OAK OILED**  
PAL3093  
NATURE




       
**VINTAGE OAK MATT**  
PAL1344  
MARQUANT




      
**BLUE MOUNTAIN OAK OILED**  
PAL3094  
VIBRANT




    
**FOSSIL OAK MATT**  
PAL1342  
NATURE




     
**OLD GREY OAK MATT**  
PAL1346  
MARQUANT





       
**CINNAMON OAK EXTRA MATT**  
PAL3096  
VIBRANT




       
**COTTAGE OAK MATT**  
PAL1347  
MARQUANT




**IVORY WHITE ASH SATIN**  
CAS1479  
FINESSE




**POLAR OAK SATIN**  
CAS1349  
NATURE




**POLAR OAK MATT**  
CAS1340  
NATURE




**DUNE WHITE OAK OILED**  
CAS1473  
NATURE




**WHITEWASHED OAK MATT**  
CAS1353  
NATURE




**PURE OAK MATT**  
CAS1341  
NATURE




**HONEY OAK OILED**  
CAS1472  
NATURE




**NATURAL NOBLE OAK SATIN**  
CAS1335  
FINESSE




**NATURAL HERITAGE OAK MATT**  
CAS1338  
MARQUANT




**MERBAU SATIN**  
CAS1357  
NATURE




**JATOBA SATIN**  
CAS1358  
NATURE




**NOBLE WALNUT SATIN**  
CAS1356  
NATURE



**HAVANA SMOKED OAK MATT**  
CAS1354  
MARQUANT



**CAPPUCCINO OAK OILED**  
CAS1478  
MARQUANT




**COFFEE BROWN OAK MATT**  
CAS1352  
NATURE




**WENGÉ OAK SILK**  
CAS1343  
NATURE




**PAINTED WHITE OAK OILED**  
VAR1629  
MARQUANT




**DYNAMIC RAW OAK EXTRA MATT**  
VAR3102  
MARQUANT




**SEASHELL WHITE OAK EXTRA MATT**  
VAR3101  
MARQUANT



**CHAMPAGNE BRUT OAK OILED**  
VAR1630  
MARQUANT



**ROYAL GREY OAK OILED**  
VAR1631  
MARQUANT



**ESPRESSO BLEND OAK OILED**  
VAR1632  
MARQUANT




The Variano range is a unique Quick-Step creation. A Variano plank consists of multiple small wooden boards of different length, width and finishes- rough and smooth, with large and small knots, one slightly straighter than the next, perfectly even or with a saw cut. These small boards are handpicked and manually put together like a puzzle, creating splendid eye-catchers with a distinct reclaimed look.




# Compact

COM  
182 x 14,5 cm ≡ 12,5 mm


Planks with a renovation friendly thickness




**OAK HIMALAYAN WHITE EXTRA MATT**  
COM3098  
MARQUANT




**OAK COTTON WHITE MATT**  
COM1451  
MARQUANT




**OAK PURE EXTRA MATT**  
COM3100  
MARQUANT



**OAK NATURAL MATT**  
COM1450  
MARQUANT



**OAK SNOWFLAKE WHITE EXTRA MATT**  
COM3099  
MARQUANT



**OAK COBBLESTONE GREY EXTRA MATT**  
COM3107  
MARQUANT



## Order your floor samples online

Curious to see what the floor of your choice would look like in reality?

How does it match your furniture, wall colour,... Order a floor sample online and see for yourself.





**POLAR OAK MATT**  
VIL1359L  
FINESSE



**WHITWASHED OAK MATT**  
VIL1363L  
NATURE




**PURE OAK MATT**  
VIL1360L  
NATURE




**NATURAL NOBLE OAK MATT**  
VIL1362L  
FINESSE




**NATURAL NOBLE OAK SATIN**  
VIL1361  
FINESSE



**MERBAU SATIN**  
VIL1366  
NATURE



**JATOBA SATIN**  
VIL1367  
NATURE



**WALNUT SATIN**  
VIL1368  
NATURE



**HAVANA SMOKED OAK MATT**  
VIL1369  
MARQUANT



**WENGÉ OAK SILK**  
VIL1370  
FINESSE

## STEP 1 INSTALLATION

# Install your floor without hassle!

Laying a Quick-Step floor is so easy thanks to the patented world-famous Uniclic® Multifit click system. This system is highly user-friendly, quicker to install and a lot more solid than other systems. A Quick-Step floor makes installation easy, even in the tightest corners or under radiators and doors.

### 1 Install your floor anywhere, even on floor heating

Quick-Step Parquet floors are perfect for installing over floor heating, whether you choose for a glued down or floating installation.

### 2 Easy installation thanks to the drop-down click system

Our Uniclic® Multifit click system is developed especially for Parquet floors, making them fast and easy to install.

### 3 Installation tools for every situation

Quick-Step accessories such as our installation set or hand saw help make your floor installation easy.



Discover our installation videos on [www.quick-step.com](http://www.quick-step.com)

# Simply choose click or glue

Whether you opt for a glued down or a floating installation, Quick-Step has the perfect solution.

## GLUED DOWN

Why Quick-Step® Parquet Glue?

### 1 Maximum sound reduction

Reflected walking sound in the room is reduced to a minimum.

### 2 Resistant to humidity

The Quick-Step Parquet Glue has a good resistance to humidity.

### 3 Highly elastic

The Quick-Step Parquet Glue is highly elastic. Your floor can breathe and expand with any temperature variation.

### 4 Ideal for floor heating

Gluing your floor is the best solution for floor heating systems.



Quick-Step®  
**PARQUET GLUE**  
16kg: QSWG16 = for +/- 16 m<sup>2</sup>  
use 1-1,2 kg per square metre engineered wood



Quick-Step®  
**PARQUET TROWEL**  
QSWB11  
The Parquet glue trowel ensures the perfect glue consumption per m<sup>2</sup>. To be ordered separately.

## FLOATING

Why a Quick-Step® underlay?

### 1 Permanently sound-absorbing

Quick-Step underlays maintain their initial thickness over the years. You may rest assured that they will continue to dampen sounds both in the room in which they're installed and in the room below.

### 2 Ideal for Uniclic® Multifit

All Quick-Step underlays offer a stable base which protects the Uniclic® Multifit system against heavy furniture and heavy short term loads such as high heels.

### 3 Levels out irregularities

A Quick-Step underlay creates a firm, level base for your new floor.

### 4 Excellent damp protection

The integrated Damp Proof Membrane (DPM) protects your floor from rising damp.



**Floor heating:** Every Quick-Step Parquet floor is suitable for installation over traditional floor heating. Keep in mind:

- The best result will be obtained when gluing your Parquet floor with Quick-Step Parquet Glue.
- As a damp-resistant screen cannot be used in combination with a glued down wood floor, sudden or large temperature changes might cause condensation.
- For floating installations, we only advise floor heating in combination with the Quick-Step Silent Walk underlay. This underlay stops rising damp or condensation.



# A Quick-Step® underlay for every situation

An underlay is an absolute necessity when laying a floor. Installing the right underlay has a major impact on the final look, quality and comfort of your Quick-Step Parquet floor. The high-quality underlays are easy to install, create a level base for your new floor and provide excellent acoustic and thermal insulation. The Quick-Step underlays offer a stable base protecting the Uniclic® & Uniclic® Multifit systems. Moreover, they ensure protection from rising damp.

I want a budget friendly solution



Quick-Step®  
**BASIC PLUS**



QSUDLBP15/60

A good and economical basis for places with less traffic, for instance a bedroom or attic.

Thickness: 2 mm  
Roll: 15 m<sup>2</sup> / 60 m<sup>2</sup>




- ✓ Damp protection
- ✓ Leveling effect

I want to reduce both transition as reflected sound



Quick-Step®  
**UNISOUND**



QSUDLDRUCO15

Ideal for places with frequent traffic, for instance a living room.

Thickness: 2 mm  
Roll: 15 m<sup>2</sup>



- ✓ Damp protection
- ✓ Leveling effect

I want to reduce the reflected sound that is caused by walking on the floor



Quick-Step®  
**SILENT WALK**



QSUDLSW7

Ideal for the ground floor. Suitable for underfloor heating and cooling.

Thickness: 2 mm  
Roll: 7 m<sup>2</sup>



- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating
- ✓ Floor cooling

I want to reduce the sound heard by neighbours



Quick-Step®  
**TRANSITSOUND**



QSUDLTRS15

I want to reduce the sound heard by neighbours.

Thickness: 2 mm  
Roll: 15 m<sup>2</sup>




- ✓ Damp protection
- ✓ Leveling effect

I need additional insulation and leveling for my floor



Quick-Step®  
**THERMOLEVEL**



QSUDLTR9

The perfect choice for the installation on top of an existing tile floor or highly uneven floor. Also provides extra insulation.

Thickness: 5mm  
Box: 9m<sup>2</sup>



- ✓ Damp protection
- ✓ Leveling effect

💡 Use this underlay in combination with tape: **NETAPE50**


Please note: It is important to use a Quick-Step underlay or Quick-Step Parquet glue to preserve the quality of your floor. When installed and maintained in the right way, Quick-Step can offer a warranty on the Quick-Step floor and Uniclic® Multifit system. Ask your dealer for a genuine Quick-Step underlay or Quick-Step Parquet glue and visit [www.quick-step.com](http://www.quick-step.com) to read our warranty conditions.



# How to install your floor?

## 1 Drop down


To quickly install a large area.



Click the panel in the long side, slide your floorboard towards each other on the short side and press down.

## 2 Angling


To install the first row of planks.



Click the panels first on the short side and click the long sides together.

## 3 Horizontal insertion

To install in difficult areas.



Unlike many other brands, Quick-Step Parquet planks can also be inserted horizontally. This is very handy when installing the last row of planks, or in places where it is difficult or even impossible to tilt them (under door frames or radiators, for example).

## Installation tools



### Quick-Step® INSTALLATION SET QSTOOL

Contents: Quick-Step tapping block, metal crowbar, adjustable spacers.



Install your Parquet floor in an easy and professional way with the handy Quick-Step installation set.

### Quick-Step® HAND SAW QSTOOLSAW



With the help of the Quick-Step hand saw floors can be fitted perfectly underneath door frames.

## STEP 2 FINISHING

# Finish perfectly

Finish your floor perfectly with the Quick-Step skirtings and profiles.

### 1 Matching colours

Quick-Step offers skirting boards with perfectly matching colours for every floor.



### 2 Real veneer

Quick-Step skirting boards are finished with a quality veneer surface. This means they can really take the rough and tumble of everyday life!

### 3 Quick-Step® warranty

Quick-Step skirting boards come with the same warranty as Quick-Step floors.



## Easy to install



Quick-Step®  
**TRACK**  
240 cm x 0,8 cm x 2,7 cm

Our made-to-measure track allows you to install skirting boards quick and easily. Simply attach the track to the wall with screws or Quick-Step One4All glue and then just click the skirting boards onto it. Afterwards, they can be easily removed, which is ideal when you need access to cables.



Quick-Step®  
**ONE4ALL GLUE**  
Contents: 290 ml

The skirting boards and profiles can be installed swiftly and securely with the Quick-Step One4All glue.


With one tube of One4All glue you can fix approximately 15 m of skirtings to a wall.

# Skirting boards

Quick-Step®  
**SCOTIA**  
240 x 1,7 x 1,7 cm





Quick-Step®  
**PARQUET SKIRTING BOARD**  
240 x 1,6 x 8cm




Skirting board with a groove on the back to hide phone or computer cables.

## Paintable skirting boards




The paintable skirting boards with Incizo® technology are very easily cut to fit the desired height (thanks to the preapplied cuts). Once they are fitted, you can paint them or just leave them white.


Quick-Step®  
**OVOLO SKIRTING BOARD**  
240 x 1,6 x 16 cm



Quick-Step®  
**OGEE SKIRTING BOARD**  
240 x 1,6 x 16 cm



Quick-Step®  
**COVER SKIRTING BOARD**  
240 x 1,6 x 12,9 cm



Quick-Step®  
**FLEXIBLE SKIRTING**  
1,4 cm x 4 cm (to be cut to the desired length)



Also available in a non-flexible version to finish your room in the same style (length 240 cm: QSPSKR4PAINT).

## Finishing profiles for floor and stairs

Quick-Step's Incizo® profile is a multifunctional finishing tool. One and the same profile can be used for all the finishes of your floor and stairs, in the matching colour. Simply cut the Incizo® basic profile to the shape required using the supplied splitter.

Quick-Step® Incizo®: five questions, one answer




1 How can I join two floors of the same height?

2 How can I solve variations in height from one floor to another?

3 How do I finish my floor along a wall or a window?


4 How can I connect my floor to a carpet, and have a beautiful finish?




Use the Incizo® profile cut as an expansion profile.



Use the Incizo® profile cut as an adapter profile.



Use the Incizo® profile cut as an end profile.



Use the Incizo® profile cut as a transition profile.



## Finishing tools



Quick-Step®  
**HYDROKIT**  
QSKITTRANSP 310ml




The Quick-Step Hydrokit is a transparent silicone for an invisible and waterproof finishing of skirting boards, profiles,...



Discover our installation videos on [www.quick-step.com](http://www.quick-step.com)

## 5 What about the finishing of my stairs?

You can cover your stairs or steps with Quick-Step planks and finish in the style of your choice with the Incizo® profile as a stair nose.



### Quick-Step® **INCIZO® PROFILE**

QSWINCP(-)

215 cm x 5,4 cm x 1,7 cm

Contents: 1 Incizo®, 1 slitter, 1 plastic rail,  
screws and plugs

### Quick-Step® **INCIZO® ALUMINIUM SUB-PROFILE FOR STAIRS**

NEWINCPBASE(-)

215 cm x 1,9 cm x 7,35 cm

To be ordered separately.

The Incizo® stairs finishing cannot be used for commercial applications.

### Quick-Step® **KIT** QSKIT(-) 310 ml



This elastic, acrylic-based paste is the ideal solution for those spots where you cannot install skirting boards or profiles. It's available in a colour matching your floor. Ask your dealer for advice.



QSRCINOX15  
QSRCINOX22

### Quick-Step® **PIPE COVERS**

Contents: 2 radiator covers per package

Available in two different diameters - either 15 mm or 22 mm.

The Quick-Step stainless steel pipe covers allow you to finish heating elements and pipes in a stylish and modern way in perfect harmony with your floor.

## STEP 3 CLEANING

# Keep your floor in top condition



### Quick-Step® CLEANING KIT

Contents: mop holder, washable microfiber mop,  
Quick-Step Cleaning product 750ml

The cleaning products are specifically developed for Quick-Step floors. They cleanse the floor surface thoroughly and maintain the original look of your floor. No residual layers of cleaning product are left behind.

Also available separately:

Quick-Step®  
**CLEANING  
PRODUCT 2L**  
QSCLEANING2000

Quick-Step®  
**CLEANING  
PRODUCT 750 ML**  
QSCLEANING750

Quick-Step®  
**CLEANING  
MOP**  
QSCLEANINGMOP



### EVERY 4<sup>TH</sup> CLEANING



Quick-Step®  
**OIL CARE**  
QSCARE750  
Contents: 750ml

#### Keep your floor in top condition.

- Protects your oiled Parquet floor and prevents it from drying out and losing its gloss.
- Restores the original look and eliminates micro-scratches
- Delays the need for maintenance oil
- Easy, user-friendly and efficient
- Use once every 4 "slightly damp" cleans

### EVERY YEAR



Quick-Step®  
**MAINTENANCE OIL WHITE**  
QSWMAINTOILW

Quick-Step®  
**MAINTENANCE OIL  
TRANSPARENT**  
QSWMAINTOILN  
Contents: 1 L (=75 m<sup>2</sup>)

#### For intensive care & repair.

- Retains the oiled Parquet floor's matte finish
- Repairs minor damages to the floor
- Nourishes the floor
- Low emissions
- Solvent-free



Check our online overview to see which maintenance oil fits your oiled Parquet floor: [www.quick-step.com](http://www.quick-step.com)

## Oiled Parquet floors: the cleaning cycle



## Repair



### Quick-Step® **REPAIR KIT**

QSREPAIR

Contents: melting knife, cleaning comb,  
7 wax blocks, sanding pad

Light damages can easily be repaired in the original colour with the Repair Kit. Simply recreate the colour of your damaged planks with one of the seven wax pieces selected to cover all Quick-Step colours.



Check the specific colour combination for your floor on [www.quick-step.com](http://www.quick-step.com)

# Parquet

COLLECTION 2016 - 2017



## Try our RoomViewer

Curious to know what Parquet would look like in your own interior? Try our online RoomViewer: upload a picture on [www.quick-step.com](http://www.quick-step.com) and see which floor fits best.

## Choose a Quick-Step® Master Installer



Once you have chosen the perfect Quick-Step floor, your installation is the next important step. Choose a Quick-Step Master Installer who will install your floor to the highest standard and with the necessary attention to detail it deserves. Even more, the Quick-Step Master Installer offers an additional 2 year installation warranty. Find a Master Installer in your area on [www.quick-step.co.uk](http://www.quick-step.co.uk)

Your Quick-Step® point of sale



[www.quick-step.com](http://www.quick-step.com)

## FOLLOW US ON

 [www.facebook.com/QuickStepFloors](https://www.facebook.com/QuickStepFloors)  [www.youtube.com/quickstepfloor](https://www.youtube.com/quickstepfloor)  
 [plus.google.com/+quickstep](https://plus.google.com/+quickstep)  [www.pinterest.com/quickstepfloor](https://www.pinterest.com/quickstepfloor)  [@QuickStepFloor](https://twitter.com/QuickStepFloor)

Quick-Step® is a quality product produced by UNILIN bvba – division Flooring, Ooigemstraat 3, B-8710 Wielsbeke, Belgium, Europe. COVERPHOTO.MAS 3566. Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. Content © 2016-2017 by UNILIN bvba – division Flooring. All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. Print ref. 016 759 02