


**QUICK-STEP**[®]
FLOOR DESIGNERS



LAMINATE


COLLECTION 2017 - 2018



LPU 1505



LPU 1660



MJ 3551





Discover your laminate floor

- 04 Carefree living, timeless beauty
- 06 Resisting everything, even water!
- 08 Create your own living space
- 10 Let us guide you to the perfect floor

Collection overview

- 12 Range overview planks and tiles
- 14 Types of structure, treatment, finishing and bevel
- 16 Discover the full laminate collection

Installation

- 30 Install your floor without hassle
- 31 A Quick-Step® underlay for every situation

Finishing

- 32 Finish perfectly

Cleaning

- 37 Keep your floor in top condition



Carefree living, timeless beauty



Years of carefree living

Quick-Step laminate floors are designed to last a lifetime. They easily stand up to the challenges of high heels, races with toy trucks and even falling objects. Thanks to their Scratch Guard top layer, all of our floors are up to ten times more resistant to scratches.

A Quick-Step floor is very easy to maintain. Down to the joints, the floor's surface is completely sealed: bacteria, dirt and even spills are unable to penetrate the floor, which means easy and worry-free cleaning. Not sure what products to use to maintain your floor in the best possible way? Discover our entire range on page 37.



Say goodbye to moisture problems

The Majestic, Impressive (Ultra) and Eligna collections have an innovative, water-repellent HydroSeal coating that covers every groove, preventing water from penetrating the floor. Cleaning has never been so easy and safe.

Natural beauty in every detail

From finding the perfect plank structure to carefully balancing colour and bevel: creating unique and attractive floors is our mission. Thanks to their true-to-life features, our wood and stone designs look exactly like the real deal.



Easy installation in 1-2-3

When you've found your dream floor, you want it installed as quickly and easy as possible. The Quick-Step Uniclic® and Uniclic® Multifit click systems ensure a worry-free installation, even in tight corners and under radiators.



How to install your laminate floor

Installing a laminate floor is very easy. Don't believe it? Let us help you with our installation videos at bit.ly/ytquickstep





Resisting everything, even water!

Meet the latest generation of laminate floors. Floors that don't just look exceptionally stylish and natural, but can also take a knock or two and above all are 100% resistant to water.

Spilled a drink? Did the kids play with water? Don't panic, the liquid won't be absorbed by the floor and you can mop it up immediately. Four of our laminate collections – Majestic, Impressive (Ultra) and Eligna – have a water-repellent HydroSeal coating. The floor's surface is completely sealed, so bacteria, dirt and even spillages don't stand a chance. They can simply be wiped off with a damp cloth, leaving a clean, hygienic surface. These water-resistant floors make cleaning easier than ever!

On top of that, your new Quick-Step laminate floor also has a warranty of up to 25 years, guaranteeing many years of worry-free pleasure in your home.



Discover the full Majestic, Impressive (Ultra) and Eligna ranges on page 17 - 21



IMU 1847



IMU 1847

Create your own living space



More inspiration on
www.quick-step.com

A beautiful interior starts with a good foundation. The floor could be considered as the fifth wall and therefore it should not be overlooked. Whatever your style, whatever your room, Quick-Step has the right floor: from light, clean floors to warm brown classics and even reclaimed floors with knots and cracks. We will help you to find your perfect floor!





UF 1400



EL 3576



LPU 1288



IMU 1854

Let us guide you to the perfect floor

Choosing a new floor can raise a lot of questions: which colour should I go for? Which floor matches my style and my interior? Check out our FloorExplorer and RoomViewer online – we will help you make up your mind.



FLOOR EXPLORER

3 EASY STEPS TO FIND YOUR PERFECT FLOOR


With so many flooring options to choose from, making the right decision can be a challenge. That's why we have introduced the online FloorExplorer tool: in three simple steps, you will get a selection of floors that perfectly match your personal needs and style.

Why not give it a try?
Enter the FloorExplorer at
www.quick-step.com

1 SELECT
A ROOM



2 CHOOSE
A COLOUR



3 DEFINE
YOUR STYLE



ROOM VIEWER

GET A PREVIEW OF YOUR FAVOURITE FLOORS

















Wouldn't it be great if you could try out several floors first before making a final decision? Or even preview them in your own interior? With the online RoomViewer tool, you can do just that. Get lifelike previews and make sure that your final decision is the right one.

Try it out now!
Launch the RoomViewer at
www.quick-step.com



DISCOVER YOUR PERFECT FLOOR ON WWW.QUICK-STEP.COM

Range overview planks and tiles

	waterproof	dimensions	thickness	bevels
MAJESTIC NEW		205 x 24 cm	≐9,5 mm	
IMPRESSIVE ULTRA		138 x 19 cm	≐12 mm	
PERSPECTIVE WIDE		138 x 19 cm	≐9,5 mm	
PERSPECTIVE		138 x 15,6 cm	≐9,5 mm	
LARGO		205 x 20,5 cm	≐9,5 mm	
IMPRESSIVE		138 x 19 cm	≐8 mm	
ELITE		138 x 15,6 cm	≐8 mm	
ELIGNA WIDE		138 x 19 cm	≐8 mm	0 / 
ELIGNA NEW		138 x 15,6 cm	≐8 mm	0
CLASSIC		120 x 19 cm	≐8 mm	0 / 
CREO		120 x 19 cm	≐7 mm	0
ARTE		62,4 x 62,4 cm	≐9,5 mm	
EXQUISA		122,4 x 40,8 cm	≐8 mm	 / 



For residential use.
Normal daily use in ordinary living spaces.








































CLASS 32



For commercial use. Extra wear-resistant floors for areas with higher usage.

CLASS 33

* Perspective Wide 2: 1.569 m²
** Lay-out Exquisa: see page 29

pack	installation	performance level	warranty	wet warranty	
6 x  = 2,952 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	10 YEAR WET WARRANTY
5 x  = 1,311 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	10 YEAR WARRANTY <small>COMMERCIAL USE</small>	10 YEAR WET WARRANTY
6 x  = 1,573 m ² *			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
7 x  = 1,507 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
6 x  = 2,522 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
7 x  = 1,835 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	10 YEAR WET WARRANTY
8 x  = 1,722 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
7 x  = 1,835 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
8 x  = 1,722 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	5 YEAR WET WARRANTY
7 x  = 1,596 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
8 x  = 1,824 m ²			20 YEAR WARRANTY <small>DOMESTIC USE</small>		
4 x  = 1,558 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
2 x  = 0,999 m ² **			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	



ALL RANGES
EXCEPT CREO

The details make the difference

Each laminate floor has its own story and a unique look and feel. The Quick-Step designers carefully select the structure, treatment, finishing and bevel, perfectly in line with the character of each floor design.



Structure




Elegant wood structure

A subtle surface texture with a fine grain structure that gives a wood effect with a very natural look and feel.



Natural wood structure

A surface texture where the grain, knots and cracks that are visible in the design can also be felt in the surface structure of the laminate floor. This perfect combination of design and structure ensures that the floor looks and feels like real wood.



Intense wood structure

This distinct structure has varying depths and gloss levels accentuating the knots and cracks. The design and surface structure is more pronounced than the natural wood structure.



Stone structure

A surface texture that realistically displays the structure of a stone pattern.



Fantasy structure

A surface texture that has the look and feel of exclusive materials such as leathers and fabrics.

Treatment



 **Brushed**

A surface effect that gives the appearance of brushed wood. The brushed treatment adds depth and authenticity to a laminate floor.



 **Saw cut**

This effect gives the impression of rough sawn wood thanks to the visible and tangible saw cuts.




 **Scraped**


A hand-scraped surface treatment gives a crafted, hand-worked finish to your floor.

Finishing



 **Extra matt finish**

An extra matt surface look.



 **Matt finish**

A matt surface look.



 **Silk/matt finish**

The varying gloss levels accentuate the structure of the floor.



 **Silk finish**

A silk surface look.



 **Silverfrost finish**

A surface effect that highlights the wood grains by running a subtle silvery tone through them.

Bevel



 **Large bevel**

Distinctive grooved edges offer the look of an expansive solid plank floor.




 **Micro bevel**

Fine micro-beveled edges clearly delineate the planks.



 **Genuine bevel**

The bevel is perfectly suited to the character of the floor. The colour, design and structure of the plank are visible right through the bevel.



 **Impression bevel**

Effect that emphasises planks in a subtle way.





Even water won't harm your floor

Discover our water-resistant laminate collections here

NEW

MAJESTIC

MJ 
205 x 24 cm 

9,5 mm long and wide planks with the most natural look and water-resistant technology, for a truly majestic look

Resisting everything, even water!




VALLEY OAK LIGHT BEIGE
MJ 3554




DESERT OAK LIGHT NATURAL
MJ 3550




WOODLAND OAK BEIGE
MJ 3545




WOODLAND OAK NATURAL
MJ 3546




DESERT OAK WARM NATURAL
MJ 3551




VALLEY OAK LIGHT BROWN
MJ 3555





WOODLAND OAK LIGHT GREY
MJ 3547




DESERT OAK BRUSHED GREY
MJ 3552




WOODLAND OAK BROWN
MJ 3548








DESERT OAK BRUSHED DARK BROWN
MJ 3553










ROOM VIEWER

Too many options to choose from?


Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on www.quick-step.com


Please note: The printed designs give an idea of the actual colour and nuances of the pattern but are not true to nature. The patterns shown are only a sample and are not fully representative of all the different nuances within the design. For a representative view of the surface structure and joint-finishing of a plank, please ask your dealer for more advice.

Structure:  Elegant wood structure  Natural wood structure  Intense wood structure  Stone structure  Fantasy structure | Treatment:  Brushed  Saw cut  Scraped

Finishing:  Extra matt finish  Matt finish  Silk/matt finish  Silk finish  Silverfrost finish | Bevels:  Large bevel  Micro bevel  Genuine bevel  Impression bevel

IMPRESSIVE ULTRA IMPRESSIVE

IMU 
138 x 19 cm ≙ 12 mm

IM 
138 x 19 cm ≙ 8 mm




WHITE PLANKS
IMU 1859* | IM 1859*




PATINA CLASSIC OAK LIGHT
IMU 3559* | IM 3559*




PATINA CLASSIC OAK GREY
IMU 3560* | IM 3560*




SOFT OAK LIGHT
IMU 1854* | IM 1854*





SANDBLASTED OAK NATURAL
IMU 1853* | IM 1853*




CLASSIC OAK BEIGE
IMU 1847* | IM 1847*




WHITE VARNISHED OAK
IMU 3105* | IM 3105*




SOFT OAK LIGHT BROWN
IMU 3557* | IM 3557*




SAW CUT OAK GREY
IMU 1858* | IM 1858*




SOFT OAK GREY
IMU 3558* | IM 3558*




NATURAL VARNISHED OAK
IMU 3106* | IM 3106*




CLASSIC OAK NATURAL
IMU 1848* | IM 1848*





SCRAPED OAK GREY BROWN
IMU 1850* | IM 1850*




RED VARNISHED PLANKS
IMU 3440* | IM 3440*




CLASSIC OAK BROWN
IMU 1849* | IM 1849*




SCRAPED ESPRESSO OAK
IMU 3439* | IM 3439*

IMU: 12 mm medium planks with the most natural look, water-resistant technology and advanced surface protection | IM: 8 mm medium planks with the most natural look and water-resistant technology

Resisting everything, even water!




NATURAL PINE
 IMU 1860* | IM 1860*




SOFT OAK MEDIUM
 IMU 1856* | IM 1856*




SOFT OAK NATURAL
 IMU 1855* | IM 1855*




BURNED PLANKS
 IMU 1862* | IM 1862*



IMU 3558

* These products have been produced using class 32 (or class 33 in case of impressive Ultra) technology and components. Some of the EN 13329 test methods are not fully applicable. For more information: www.quick-step.com

NEW

ELIGNA

EL

138 x 15,6 cm ≡ 8 mm



WENGÉ PASSIONATA
EL 1300



ESTATE OAK LIGHT GREY
EL 3573



NEWCASTLE OAK GREY
EL 3580



VENICE OAK LIGHT
EL 3990



ESTATE OAK BEIGE
EL 3574



VENICE OAK BEIGE
EL 3907



LIGHT GREY VARNISHED OAK
EL 1304



WHITE VARNISHED OAK
EL 915



NATURAL VARNISHED OAK
EL 896



WHITE OAK LIGHT NATURAL
EL 1491



OLD OAK MATT OILED
EL 312



VINTAGE OAK NATURAL VARNISHED
EL 995



NEWCASTLE OAK BROWN
EL 3582



OILED WALNUT
EL 1043



VINTAGE OAK DARK VARNISHED
EL 1001



MERBAU
EL 996

8 mm elegant plank with water-resistant technology and a smooth finish for a streamlined appearance of your interior

Resisting everything, even water!



ESTATE OAK WARM GREY
EL 3840



VENICE OAK NATURAL
EL 3908



METALLIC EFFECT
METALLIC CÉRUSÉ OAK GOLD
EL 3466





NEWCASTLE OAK DARK
EL 3581






EL 3578

ELIGNA WIDE

UW 0 | 
138 x 19 cm 

PERSPECTIVE WIDE

ULW  | UFW 
138 x 19 cm 

UW: 8 mm medium planks with intense wood designs and impression
bevel that complement the design | ULW/UFW: 9,5 mm medium
planks with a subtle micro-bevel on either two or four sides



MORNING OAK LIGHT

UW 1535 | ULW 1535 | UFW 1535



OAK WHITE OILED

UW 1538 | ULW 1538 | UFW 1538



CARIBBEAN OAK GREY

UW 1536* | ULW 1536* | UFW 1536*




OAK NATURAL OILED

UW 1539 | ULW 1539 | UFW 1539




OAK WITH SAW CUTS NATURE

UW 1548* | ULW 1548* | UFW 1548*




RECLAIMED CHESTNUT NATURAL

UW 1541* | ULW 1541* | UFW 1541*



RECLAIMED OAK BROWN

UW 1545* | ULW 1545* | UFW 1545*



RECLAIMED CHESTNUT BROWN



UW 1544* | ULW 1544* | UFW 1544*



FUMED OAK DARK

UW 1540 | ULW 1540 | UFW 1540

PERSPECTIVE

UF 
138 x 15,6 cm  9,5 mm

9,5 mm elegant planks with a deep and straight bevel
for a great optical perspective of your interior




WENGÉ PASSIONATA
UF 1300




WHITE BRUSHED PINE
UF 1235




WHITE ASH
UF 1184




LIGHT GREY VARNISHED OAK
UF 1304




WHITE VARNISHED OAK
UF 915




LIMED OAK
UF 1896




VINTAGE OAK NATURAL VARNISHED
UF 995




NATURAL VARNISHED OAK
UF 896




OLD OAK MATT OILED
UF 312




DARK VARNISHED OAK
UF 918




ANTIQUÉ OAK
UF 861




OILED WALNUT
UF 1043





VINTAGE OAK DARK VARNISHED
UF 1001




HOMAGE OAK NATURAL OILED
UF 1157






MERBAU
UF 996




WENGÉ
UF 1000

LARGO

LPU 
205 x 20,5 cm  9,5 mm

9,5 mm long planks with a subtle micro-bevel
to bring depth to your interior




LIGHT RUSTIC OAK
LPU 1396*




PACIFIC OAK
LPU 1507
SUBTLE PRINTS ON THIS FLOOR




LONG ISLAND OAK LIGHT
LPU 1660




DOMINICANO OAK GREY
LPU 1663*




AUTHENTIC OAK
LPU 1505




DOMINICANO OAK NATURAL
LPU 1622*




WHITE VINTAGE OAK
LPU 3985




LONG ISLAND OAK NATURAL
LPU 1661




WHITE VARNISHED OAK
LPU 1283




CAMBRIDGE OAK NATURAL
LPU 1662*




NATURAL VARNISHED OAK
LPU 1284




CAMBRIDGE OAK DARK
LPU 1664*






GREY VINTAGE OAK
LPU 3986




NATURAL VARNISHED MERBAU
LPU 3988

ELITE

UE 
 138 x 15,6 cm  8 mm

8 mm elegant planks with a subtle micro-bevel
 adding a variety of finishing options



 **LIGHT GREY VARNISHED OAK**
 UE 1304




 **WORN LIGHT OAK**
 UE 1303



 **WHITE OAK LIGHT**
 UE 1491



 **OLD OAK LIGHT GREY**
 UE 1406



 **OLD WHITE OAK NATURAL**
 UE 1493



 **WHITE OAK MEDIUM**
 UE 1492



 **OLD OAK GREY**
 UE 1388



 **OLD WHITE OAK DARK**
 UE 1496

CLASSIC

CL/CLM 0 / $\frac{4}{1}$
 120 x 19 cm $\frac{4}{8}$ mm

Check the availability for your region: ▲ China ■ India ● South East Asia



   **RECLAIMED WHITE PATINA OAK**
 CL 1653



   **HAVANNA OAK NATURAL**
 CLM 1655



   **MOONLIGHT OAK LIGHT**
 CLM 1658



   **BLEACHED WHITE OAK**
 CLM 1291



   **VICTORIA OAK**
 CLM 3185



   **MIDSUMMER OAK**
 CL 3443



   **ACACIA**
 CL 1050



   **MIDNIGHT OAK NATURAL**
 CLM 1487



   **TEAK**
 CL 3442



   **WALNUT, 3 STRIP**
 CL 1791



   **GOLDEN OAK**
 CL 2259



   **MERBAU**
 CL 1599



   **OLD OAK NATURAL**
 CLM 1381



   **LIGHT GREY OILED OAK**
 CLM 1294



   **WALNUT**
 CL 3441



   **OLD OAK GREY**
 CLM 1382

8 mm standard planks with a variety of finishing options
and an impression bevel on many of the designs

CREO

7 mm standard planks without bevel

CR
120 x 19 cm ≡ 7 mm



**HAVANNA OAK NATURAL
WITH SAW CUTS**
CLM 1656



OLD OAK LIGHT GREY
CLM 1405



CHARLOTTE OAK WHITE
CR 3178



CHARLOTTE OAK BROWN
CR 3177



WINDSOR OAK
CLM 3184



MOONLIGHT OAK NATURAL
CLM 1659



VIRGINIA OAK NATURAL
CR 3182



TENNESSEE OAK GREY
CR 3181



MIDNIGHT OAK BROWN
CLM 1488



LAPACHO
CL 2127



TENNESSEE OAK LIGHT WOOD
CR 3179



TENNESSEE OAK NATURAL
CR 3180



OLD OAK DARK
CLM 1383





LOUISIANA OAK NATURAL
CR 3176



VIRGINIA OAK BROWN
CR 3183

ARTE

UF 
62,4 x 62,4  9,5 mm

9,5 mm large stylish square tiles with bevel



 
MARBLE CARRARA
UF 1400



 
LEATHER TILE LIGHT
UF 1401



 
LEATHER TILE DARK
UF 1402



 
POLISHED CONCRETE NATURAL
UF 1246



 
POLISHED CONCRETE DARK
UF 1247



 
VERSAILLES WHITE OILED
UF 1248*



 
VERSAILLES LIGHT
UF 1155*






UF1402



EXQ1553



EXQUISA

EXQ  
122,4 x 40,8 cm  8 mm

8 mm multiple patterns tiles with bevel



 
TIVOLI TRAVERTINE
EXQ 1556




 
CERAMIC WHITE
EXQ 1553*





 
CERAMIC LIGHT
EXQ 1554*



 
CERAMIC DARK
EXQ 1555*



 
CRAFTED TEXTILE
EXQ 1557








 
SLATE DARK
EXQ 1552*



 
SLATE BLACK
EXQ 1550*



 
SLATE BLACK GALAXY
EXQ 1551*



STEP 1 INSTALLATION

Install your floor without hassle!

Laying a Quick-Step floor is so easy thanks to the patented world-famous Uniclic® click system. This system is highly user-friendly, quicker to install and a lot more solid than other systems. A Quick-Step floor makes installation easy, even in the tightest corners or under radiators and doors.

1 Easy installation, thanks to the Uniclic® click system

Quick-Step is the inventor of the Uniclic® installation system, today the standard click-to-install system. Use the revolutionary and patented click system to effortlessly click your floor planks together.



2 Install laminate on underfloor heating and cooling

Quick-Step laminate floors are perfect for installing over underfloor heating or cooling when combined with the right underlay.

For more information:
visit www.quick-step.com

3 Easy to install on existing floors

See for yourself how easy it is to install a Quick-Step floor in our installation videos.



Check out the
installation videos on
bit.ly/ytquickstep

Installation tools

Quick-Step® INSTALLATION SET QSTOOL

Contents: Quick-Step tapping block, metal crowbar, adjustable spacers.



Install your laminate floor in an easy and professional way with the handy Quick-Step installation set.

Quick-Step® HAND SAW QSTOOLSAW



With the help of the Quick-Step hand saw floors can be fitted perfectly underneath door frames.

Quick-Step® SEAL & CLICK QSSEAL125



Specifically developed to increase the water resistance of your floor. Elastic and transparent, Seal & Click provides life-long protection when used in bathrooms, kitchens, etc (not required for Majestic, Impressive (Ultra) and Eligna).

A Quick-Step® underlay for every situation

An underlay is an absolute necessity when laying a floor. Installing the right underlay has a major impact on the final look, quality and comfort of your Quick-Step laminate floor. The high-quality underlays are easy to install, create a level base for your new floor and provide excellent acoustic and thermal insulation. The Quick-Step underlays offer a stable base protecting the Uniclic® & Uniclic® Multifit systems. Moreover, they ensure protection from rising damp.

I want a budget friendly solution



Quick-Step®
BASIC PLUS

I want to reduce both transition as reflected sound



Quick-Step®
UNISOUND

I want to reduce the reflected sound that is caused by walking on the floor



Quick-Step®
SILENT WALK

I want to reduce the sound heard by neighbours



Quick-Step®
TRANSITSOUND


I need additional insulation and levelling for my floor



Quick-Step®
THERMOLEVEL



QSUDLBP15/60




QSUDLDRUCO15



QSUDLSW7



QSUDLTRS15



QSUDTL9

A good and economical basis for places with less traffic, for instance a bedroom or attic.

Ideal for places with frequent traffic, for instance a living room.

Ideal for the ground floor.

Ideal for an upper floor or an apartment.

The perfect choice for installation on top of an existing tiled floor or a very uneven floor. Also provides extra insulation.

Thickness: 2mm
Roll = 15m²/60m²

Thickness: 2mm
Roll = 15m²

Thickness: 2mm
Roll = 7m²

Thickness: 3mm
Box = 15m²

Thickness: 5mm
Box = 9m²



- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating

- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating

- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating
- ✓ Floor cooling

- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating

- ✓ Damp protection
- ✓ Leveling effect

💡 Use this underlay in combination with tape: **NETAPE50**

⚠ Do not use in combination with floor heating or cooling.

Please note: It is important to use a Quick-Step underlay to preserve the quality of your floor. When installed and maintained properly, Quick-Step provides a guarantee on the Quick-Step floor and the Uniclic system. Ask your dealer for an original Quick-Step underlay and visit www.quick-step.com to read our guarantee terms.*

STEP 2 FINISHING

Finish perfectly

Finish your floor perfectly with the Quick-Step skirtings and profiles.

1 Matching colours

Quick-Step offers skirting boards with perfectly matching colours for every floor.



2 A wide choice

Quick-Step has a wide variety of skirting boards and profiles in various heights and widths.

3 Scratch-resistant

The Quick-Step skirtings are scratch-resistant, protected against everyday wear and tear, and come with the same warranty as the floors.

Easy to install



Q5GLUE290



Q5CLIPSKRME(-)



Q5TRACK



Quick-Step®
ONE4ALL GLUE
Contents: 290 ml

The skirting boards and profiles can be installed swiftly and securely with the Quick-Step One4All glue.

With one tube of One4All glue you can fix approximately 15 m of skirtings to a wall.



Quick-Step®
CLIPS
Contents: 50 clips

Available for 7 or 8 mm floors (Q5CLIPSKRME7080A) and 9,5 mm floors (Q5CLIPSKRME95A).

Clip system for glueless and screwless installation of skirting boards. The skirting boards can be removed at any time.

The clips should be installed at the same time as your floor.




Quick-Step®
TRACK
240 cm x 0,8 cm x 2,7 cm

Our made-to-measure track allows you to install skirting boards quick and easily. Simply attach the track to the wall with screws or Quick-Step One4All glue and then just click the skirting boards onto it. Afterwards, they can be easily removed, which is ideal when you need access to cables.

Skirting boards


Quick-Step® STANDARD SKIRTING BOARD

240 x 1,2 x 5,8 cm




Quick-Step® SCOTIA

240 x 1,7 x 1,7 cm



Quick-Step® PARQUET SKIRTING BOARD


240 x 1,4 x 7,7 cm



Quick-Step® LARGO PARQUET SKIRTING BOARD

240 x 1,4 x 10 cm

For Largo only



Skirting boards with a groove on the back to hide phone or computer cables.

Paintable skirting boards



The paintable skirting boards with Incizo® technology are very easily cut to fit the desired height (thanks to the preapplied cuts). Once they are fitted, you can paint them or just leave them white.

Quick-Step® OVOLO SKIRTING BOARD

240 x 1,6 x 16 cm



Quick-Step® OGEE SKIRTING BOARD

240 x 1,6 x 16 cm



Quick-Step® COVER SKIRTING BOARD

240 x 1,6 x 12,9 cm



Quick-Step® FLEXIBLE SKIRTING

1,4 cm x 4 cm (to be cut to the desired length)



Also available in a non-flexible version to finish your room in the same style (length 240 cm: QSPSKR4PAINT).

Finishing profiles for floor and stairs

Quick-Step's Incizo® profile is a multifunctional finishing tool. One and the same profile can be used for all the finishes of your floor and stairs, in the matching colour. Simply cut the Incizo® basic profile to the shape required using the supplied slitter.




Quick-Step® Incizo®: five questions, one answer

1 How can I join two floors of the same height?


2 How can I solve variations in height from one floor to another?

3 How do I finish my floor along a wall or a window?


4 How can I connect my floor to a carpet, and have a beautiful finish?




Use the Incizo® profile cut as an expansion profile.



Use the Incizo® profile cut as an adapter profile.



Use the Incizo® profile cut as an end profile.



Use the Incizo® profile cut as a transition profile.



UFW 1535



Discover our installation video on bit.ly/ytquickstep

5 What about the finishing of my stairs?

You can cover your stairs or steps with Quick-Step planks and finish in the style of your choice with the Incizo® profile as a stair nose.



Quick-Step® **INCIZO® PROFILE**

QSINCP(-)

215 cm x 4,8 cm x 1,3 cm

Contents: 1 Incizo®, 1 slitler, 1 plastic rail

Quick-Step® **INCIZO® ALUMINIUM SUB-PROFILE FOR STAIRS**

NEINCPBASE(-)

215 cm x 7,1 cm x 2 cm

To be ordered separately, including plastic strip. The Incizo® stairs finishing cannot be used for commercial applications.

Quick-Step® **INCIZO® METAL PROFILE**

270 cm x 4,74 cm x 1,14 cm or 93 cm x 4,74 cm x 1,14 cm

Contents: 1 Incizo®, 1 handle and 1 plastic rail

Quick-Step® **MULTIFUNCTIONAL PROFILE**

186 cm x 4,7 cm x 1 cm

Contents: 1 multifunctional profile, 1 plastic rail



With the supplied handle you can create the desired profile. Do not use on stairs. Available in aluminium, silver, gold or bronze. Also available for commercial applications with metal rail, screws and plugs. QSINCP SILVME270 / for Impressive Ultra: QSINCP I2 SILVME270



Profile in scratch-resistant aluminium to bridge height differences from 0 to 12.3 mm. To be used for instance between 2 Quick-Step laminate floors, or between a laminate floor and another lower or higher floor. Available in silver, gold or bronze.

Finishing tools

Quick-Step® KIT

QSKIT(-) 310ml



Elastic, acrylic-based paste. Use it to fill (expansion) gaps in a matching colour.

Quick-Step® PE FOAM

NEFOAMSTRIP20
20 m x 10 mm



PE foam expansion joint filler (for use in combination with the Quick-Step Hydrokit). Makes your skirting finishing watertight!

Quick-Step® HYDROKIT

QSKITTRANSP 310ml



The Quick-Step Hydrokit is a transparent silicone for an invisible and waterproof finishing of skirting boards, profiles,...

Use the Hydrokit and PE Foam to ensure your Majestic, Impressive (Ultra) and Eligna floor is 100% water-resistant. In addition, you profit from the 10 year Residential Wet Area Warranty.



QSRCINOX

Quick-Step® PIPE COVERS

Contents: 2 radiator covers per package.

The pipe covers allow you to finish heating elements and pipes. Available in two different diameters: 15 mm or 22 mm.



QSDOORMAT

Quick-Step® DOORMAT

Mat: 74,6 cm x 43,4 cm x 0,9 cm
Frame: 79 cm x 47,8 cm

The doormat fits seamlessly in a strong aluminium frame that is countersunk into the laminate. It's easy to install and clean. An elegant and practical solution.

STEP 3 CLEANING

Keep your floor in top condition



Quick-Step® CLEANING KIT

Contents: mop holder, washable microfiber mop,
Quick-Step Cleaning product 750ml

The cleaning products are specifically developed for Quick-Step floors. They cleanse the floor surface thoroughly and maintain the original look of your floor. No residual layers of cleaning products are left behind.

Also available separately:



Quick-Step® CLEANING PRODUCT 2L

QSCLEANING2000

Quick-Step® CLEANING PRODUCT 750 ML

QSCLEANING750

Quick-Step® CLEANING MOP

QSCLEANINGMOP



Quick-Step® REPAIR KIT

Contents: melting knife, cleaning comb, 7 wax blocks, sanding pad

Light damages can easily be repaired in the original colour with the Repair Kit.



Check the specific colour combination for
your floor on bit.ly/ytquickstep































- ☑ We use carefully screened raw materials
- ☑ We invest in energy-efficient production
- ☑ We comply with all regulations



At Quick-Step, we realise that the world you'd love to live in' is not just a world of stylish interiors. It's also a world that shows respect for our natural environment. That's why, as a company, we make continuous efforts to minimise the ecological impacts of our products and processes. Every day, we seek new ways to recycle, reduce and renew throughout the entire Quick-Step manufacturing process.

Range overview planks and tiles

	waterproof	dimensions	thickness	bevels
MAJESTIC NEW		 205 x 24 cm	≐ 9,5 mm	
IMPRESSIVE ULTRA		 138 x 19 cm	≐ 12 mm	
PERSPECTIVE WIDE		 138 x 19 cm	≐ 9,5 mm	
PERSPECTIVE		 138 x 15,6 cm	≐ 9,5 mm	
LARGO		 205 x 20,5 cm	≐ 9,5 mm	
IMPRESSIVE		 138 x 19 cm	≐ 8 mm	
ELITE		 138 x 15,6 cm	≐ 8 mm	
ELIGNA WIDE		 138 x 19 cm	≐ 8 mm	
ELIGNA NEW		 138 x 15,6 cm	≐ 8 mm	0
CLASSIC		 120 x 19 cm	≐ 8 mm	
CREO		 120 x 19 cm	≐ 7 mm	0
ARTE		 62,4 x 62,4 cm	≐ 9,5 mm	
EXQUISA		 122,4 x 40,8 cm	≐ 8 mm	

LAMINATE

COLLECTION 2017 - 2018



Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice.
Try out your options on www.quick-step.com

Your Quick•Step® point of sale



www.quick-step.com

FOLLOW US ON

www.facebook.com/QuickStepFloors www.youtube.com/quickstepfloor

plus.google.com/+quickstep www.pinterest.com/quickstepfloor [@QuickStepFloor](https://twitter.com/QuickStepFloor)

Quick-Step® is a quality product produced by UNILIN bvba – division Flooring, Ooigemstraat 3, B-8710 Wielsbeke, Belgium, Europe. COVERPHOTO MJ3546. Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice.

Content © 2017:2018 by UNILIN bvba – division Flooring. All rights reserved.
The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. | Print ref. 017 247 01 - Z48 English